

QA-12012/1/2021-RARD-FSSAI
भारतीय खाद्य सुरक्षा और मानक प्राधिकरण
Food Safety and Standards Authority of India
 (खाद्य सुरक्षा और मानक अधिनियम २००६ के तहत स्थापित वैधानिक प्राधिकरण)
 (A Statutory Authority established under Food Safety & Standards Act, 2006)
 (गुणवत्ता आश्वासन प्रभाग)
 (Quality Assurance Division)
एफ.डी.ए. भवन, कोटला रोड, नई दिल्ली- ११०००२
FDA Bhawan, Kotla Road, New Delhi-110002

दिनांक/Date- 19 February,2026

विषय: एफएसएसएआई द्वारा मान्यता प्राप्त खाद्य परीक्षण प्रयोगशालाओं की वैधता ।
Subject: Validity of FSSAI recognised Food Testing Laboratories.

खाद्य सुरक्षा और मानक अधिनियम, २००६ और उसके तहत बनाए गए नियम और विनियम के तहत लिए गए खाद्य नमूनों का विश्लेषण करने के उद्देश्य से एफएसएसएआई द्वारा मान्यता प्राप्त प्रयोगशालाओं की सूची के साथ-साथ उनके एनएबीएल मान्यता की वैधता १२ फरवरी २०२६ और संपर्क विवरण इसके साथ संलग्न है।

२. उपरोक्त प्रयोगशालाओं की मान्यता और वैधता एफएसएसएआई द्वारा समय-समय पर जारी दिशा-निर्देशों या आदेशों द्वारा नियंत्रित होगी।

A list of FSSAI-recognised laboratories, along with the validity of their NABL accreditation as of 12 February, 2026, and contact details, is enclosed herewith for the purpose of analysing food samples taken under the Food Safety and Standards Act, 2006, and the rules and Regulations made thereunder.

2. The recognition and validity of the aforementioned laboratories shall be governed by the guidelines or orders issued by FSSAI from time to time.

Digitally signed by
 G V SRINIVASAN
 Date: 19-02-2026
 10:37:34

डॉ. जी.वी. श्रीनिवासन/ Dr. G V Srinivasan
संयुक्त निदेशक - (गु.आ)/ Joint Director - QA
एफएसएसएआई, नई दिल्ली/ FSSAI, New Delhi

प्रति (ईमेल के माध्यम से) :

१. सभी खाद्य सुरक्षा आयुक्त
२. सभी एफएसएसएआई अधिसूचित प्रयोगशालाएं

सूचना के लिए प्रतिलिपि (ईमेल के माध्यम से) :

१. अध्यक्ष के निजी सचिव, एफएसएसएआई, नई दिल्ली
२. मुख्य कार्यकारी अधिकारी के निजी सचिव, एफएसएसएआई, नई दिल्ली
३. कार्यकारी निदेशक (सी.एस), एफएसएसएआई, नई दिल्ली.
४. निदेशक (आयात), एफएसएसएआई, नई दिल्ली
५. मुख्य प्रौद्योगिकी अधिकारी एफएसएसएआई, नई दिल्ली-एफएसएसएआई वेबसाइट पर अपलोड करने के लिए

To (Through email):

1. All Food Safety Commissioners
2. All FSSAI Notified Laboratories

Copy for information to (Through email):

1. PS to Chairperson, FSSAI, New Delhi
2. PS to CEO, FSSAI, New Delhi
3. ED (CS), FSSAI, New Delhi
4. Director (TICD), FSSAI, New Delhi
5. CITO FSSAI, New Delhi, for upload on the FSSAI website.

Annexure 1

FSMA/Notified MRL Accredited Food Testing Laboratories having valid MRL accreditation as on 12th February, 2026 for the purpose of carrying out Analysis of Samples taken under Section 47 of the Food Safety and Standards Act, 2006.

Sl.No	Name and Address of the Laboratory	Registration Number	MRL Certificate Number	MRL-FSMAI Integrated Assessment Certification of Accreditation (Y/N)	Name and Details of Food Analyst	Validity Chemical	Validity Biological	Validity Radiological	Validity Other	
										the detailed scope may be seen from the MRL website : https://mrl-fsma.org/ under Laboratory Search for an Accredited Laboratory using MRL Certificate (TC) Number of the laboratory.
A. MICROBIAL BIOBOND										
1.	AGRS Analytical & Research Lab (P) Ltd, Delhi C-377, Lawrence Road, Industrial Area, Delhi 110025	51/74/FSMAI/2018	TC-14044	Y	Dr. Rajshil Singh Tel: 011-45022985, Mob: 9911664060 Email: rajshil@agrs.com	18th Aug, 2027	18th Aug, 2027	Not Applicable	Not Applicable	
2	Arbo Microbiological Private Limited, Delhi, 4/9, Erih Nagar Industrial Area, New Delhi-110015	1/74/FSMAI/2014	TC-7375	Y	Ms. Shilpi Mittal Quality Manager Phone: +91 11 4575 4575 Mob: 9690935667 Email: socrabb@arbo.com	22nd Nov, 2027	23rd Nov, 2027	Not Applicable	Not Applicable	
3	Arava Food Lab Private Limited, Delhi C-35/2B, Lawrence Road Industrial Area, Delhi 110025	23/74/FSMAI/2014	TC-11151	Y	Mr. Sandeep Kumar (CEO), Tel: 011-46282222, Mob: 9810004270, E-mail: sandeepkumar@aravafoodlab.com; sandeep@aravafoodlab.com	14th Nov, 2026	14th Nov, 2026	Not Applicable	Not Applicable	
4	Delhi Analytical Research Laboratory, Delhi Plot No. 2, Tamber Block, Indira, Industrial Area, New Delhi - 110025	46/74/FSMAI/2017	TC-5168	Y	Dr. Priyanka Mishra Tel: 011-43545890, Mobile: 9717324010 Email: drpriyankamishra@gmail.com, priya@darlab.org	25th Sep, 2026	25th Sep, 2026	Not Applicable	Not Applicable	
5	Delhi Test House, Delhi A-62/B, G.T. Market Road, Industrial Area, Opp. Bansa Chowk, Anandpur, New Delhi- 110037.	7/74/FSMAI/2014	TC-14461	Y	Mr. M. C. Saini (Director) Tel: 011-47975555, 9110360377 Email: mcsaini@delhitesthouse.com, saini@delhitesthouse.com	2nd March, 2026	2nd March, 2026	Not Applicable	Not Applicable	
6	FICI Research and Analysis Centre, New Delhi, Plot No - 2A, Sector-8, Dwarka, New Delhi - 110077.	25/74/FSMAI/2014	TC-5275	Y	Mr. Anil Kumar, Ms. Rita Singh, Ms. Sushil Kumar, Mr. Sachin Kumar Chaudhary Contact No.: 7092499155 Email ID: karun@ficialabs.org info@ficialabs.org	06th March, 2026	06th March, 2026	Not Applicable	Not Applicable	
7	Food Laboratory, Department of Food Safety, Delhi, 8-50, Lawrence Road, Industrial Area, Ring Road, New Delhi	59/74/FSMAI/2019	TC-12796	N	As Notified by State Government	25th Feb, 2026	Not Applicable	Not Applicable	Not Applicable	
8	Shree Krishna Analytical Services (Shree Krishna Analytical Services Pvt. Ltd.), New Delhi, SEAS Pharmed Pvt. Ltd, 8-5/4, Mayapuri Industrial Area, Phase -II, New Delhi	47/74/FSMAI/2017	TC-9982	Y	Mr. Rajesh Yadav (Proprietor) Mobile: 9811504864 Email: yadavrajesh@skas.com, shreedev@skas.com, qr@skas.com	15th July, 2026	15th July, 2026	Not Applicable	Not Applicable	
9	Suphitech (India) Private Limited, Delhi, 8-3/7, MAYAPURI INDUSTRIAL AREA, PHASE-II, MAYAPURI Delhi, Pin - 110064	3/74/FSMAI/2014	TC-11220	Y	Mr. Siddhant Gupta (Director), 9671972181 011-438563800 E-mail ID: corporates@suphitech.com qr@suphitech.com	14th Dec, 2026	14th Dec, 2026	Not Applicable	Not Applicable	

Sl.No	Name and Address of the Laboratory	Registration Number	MARR Certificate Number	MARR-PTSMI Integrated Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
							14th Feb, 2026	14th Feb, 2026	Not Applicable
10	Shreeam Institute for Industrial Research, New Delhi 19, Indraprastha Road, New Delhi-110007	15/79/PSSAI/2014	TC-6444	Y	Contact Person: Dr. Jeevan Dorewz Mob: 9818193810/98447705730, 011-27667267. Email: jeevan.dorewz@shreeamindustrial.com	Dr. Sumant Kumar Nayak Ms. Rashika Sharma Ms. Nisha Gupta Mr. Dhanraj Singh	14th Feb, 2026	14th Feb, 2026	Not Applicable
11	Central Pesticides Control Laboratory, New Delhi, L.A.R.L., P.O. Box 100, New Delhi - 110012	09/79/PSSAI/2021	TC-8354	Y	Email: director@cpcl.lacil.nic.in, Mob: 8879998498	Mr. Raj (Sd), Kumar Mr. Yogesh Kumar	27th Sept, 2026	Not Applicable	Not Applicable
12	ITL Labs Private Limited, Delhi B-203-204, Mangalpur, Industrial Area, Phase - I, Delhi-110083	11/79/PSSAI/2014	TC-5188	N	Mr. Sanjay Mahesh (Quality Manager) Tel: 011-27315654/45368717, Fax: 0011-27223323 Mobile: +91 9811055913 Email: info@itllabs.com, quality@itllabs.com	-	28th Feb, 2026	Not Applicable	Not Applicable
13	Standard Analytical Laboratory (SAL) Private Limited, 69, Pragathi Industrial Estate, Pragathi, Delhi - 110092	19/79/PSSAI/2014	TC-14047	N	Mr. Devendra Srivastava, Director, Mob: 0981110882, 9846748882, Email: info@standardanalytical.com, accounts@standardanalytical.com	Mr. Abhishek Mishra	07th July, 2026	Not Applicable	Not Applicable
14	Sigma Test and Research Centre, Delhi B8-15, Mangalpur Industrial Area, Phase - II, Delhi-110034 (P9), Ball Industrial Area Phase-2, New Delhi-110042	10/79/PSSAI/2014	TC-15193	N	Mr. Rahul Gupta (Vice President) Email: rahul@sigmatest.com, info@sigmatest.com Tel: 011-49491414, Mobile: 09811565000	-	26th March, 2026	Not Applicable	Not Applicable
15	Centre for Environment and Food Technology Pvt. Ltd., New Delhi 17, DLF Industrial Area, Lift-A 2nd Floor, Mayapuri, New Delhi-110013	56/79/PSSAI/2019	TC-5145	N	Dr. B.P. Mittal Contact: No.011-45912722, 09811707779 E-mail: info@cefatpl.com	-	03rd Jul, 2029	Not Applicable	Not Applicable
Haryana									
16	Centre for Food Research and Analysis (CFRA), Haryana, Sonapat Plot No. 97, Sector-5A, HSIDC, Industrial Estate, Karnal, Sonapat, Haryana-131028	03/79/PSSAI/2021	TC-4009	Y	Dr. Esmal Chaudhary E-mail: info@cfra.com, info@cfra.com Tel: 0124-2281878, 2281142/93/93 Mobile: 99468000672, KISHAN PAL, SINGH info@cfra.com, 9912790109	Mr. Satish Chandra Kulkarni, Dr. Anupama Datta	02nd July, 2027	Not Applicable	Not Applicable
17	Burika Analytical Services Pvt. Ltd., 31st Milestone, Main ST Road, Sonapat, Haryana	66/79/PSSAI/2021	TC-9108	Y	HBMALAYIA Tel.No.: 9748037689 Email: hemanth@burikaindia.com	Ms. Renu Singh	16th Nov, 2026	Not Applicable	Not Applicable
18	Rare Labs Private Limited, Gurugram 14/79, DLF Phase-II NLS Road, Gurugram-121002, Haryana	16/79/PSSAI/2014	TC-5503	Y	Mr. D. Mishra (Director) Tel: 0124-4884305, Fax: 0124-4036038 Mobile: 9911666533 Email: info@rarelabs.com	Ms. Rita Singh	12th Apr, 2026	12th Apr, 2026	Revised: 12th Apr, 2026
19	BTL Laboratories Pvt. Ltd., 50-C, Sector-25, Part-II, Durga, Panipat, Haryana	31/79/PSSAI/2016	TC-7811	Y	Shashin Das (Director) Mobile: 9991675756 / 8687790160 Email: haryanaindustrial.com, haryanaindustrial@gmail.com, info@btlbtl.com	Mr. Bhanu Singh	16th Oct, 2026	Not Applicable	Not Applicable
20	International Testing Centre Pvt. Ltd., Panchkula, (6), Industrial Area, Phase-4, Panchkula - 136109	14/79/PSSAI/2014	TC-14696	Y	Mr. Kamal Grover (Director) Tel: 0172-2351543, 25692025 Mobile: 98284004411, 98806990619 Email: jeevan.dorewz@itclab.com	Mr. Mithun Chandelwal Mr. Bhanu Ashish	04th June, 2026	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-PMSCAI Integrated Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
							9th Oct, 2029	9th Oct, 2029	Not Applicable
21	Alkha Test House, Bahadurgarh 19B-193, MID, Phase-3, Industrial Area, Bahadurgarh, Haryana	53/74/PSSAI/2018	TC-4446	N	Mr. Akhilesh Shukla (Quality Manager) Contact: No. 81300453334 Email: info@alpkhatesthouse.com, support@alpkhatesthouse.com	-	9th Oct, 2029	Not Applicable	Not Applicable
22	Merional Commodities Management Services Limited - Connoisseurs - Tasting Services Regional Laboratory, (North) (Plot -483 (3rd Floor), Phase V, Udyog Vihar, Gurgaon, Haryana	52/74/PSSAI/2018	TC-4507	Y	Contact Person : akshaya.g@merl.com 9821100264 Mr. Akhilesh Gupta, rajdeep@merl.com 9415374852 Mr. Raj Kapoor jranal@merl.com 9910109331 Ms. Iman Khatunna. Ph: 0124-4691451, 0124-4691472 Email Id: akshaya.g@merl.com 9821100264	Ms. Archana Goshwami Mr. Raj Kapoor Ms. Deepika Yadav Mr. Kanch Vignaraju	23rd Feb, 2026	Not Applicable	Not Applicable
23	628 India Prisons Limited, Meenagar, Gurgaon Plot No. 21, Sector-2, IMT Meenagar, Gurgaon District, Haryana-122050	6/74/PSSAI/2014	TC-4132	Y	Jyoti Goyal, 9464898006, jyoti.goyal@pqa.com, Ms. Anshika Bhat, 7289522947, anshika.bhat@pqa.com	Ms. Jyoti Goyal Mr. Vinay Vikram Singh Ms. Seetha Kumar Ms. Shreetha Sharma Mr. Sarder Abhil Hameed Khan Mr. Rahul Kumar Tomar	30th March, 2026	Not Applicable	Not Applicable
24	District Food Laboratory, Karnal, Govt. Polytechnic, Sector-16, Karnal-132091	73/74/PSSAI/2021	TC-3999	Y	Contact Person : POUSHAM DSHVI Tel.No. : 94166196919 Email : shakti90@gmail.com	As Notified by State Government	04th April, 2027	Not Applicable	Not Applicable
25	South Food, Water & Waste Laboratory, Chandigarh, Haryana, Sector-11D, Chandigarh, Haryana	77/74/PSSAI/2021	TC-3494	Y	Tel.No. : 9467404687 Fax No. : Email : statusoflab@gmail.com Contact Person : MANISHA BODHA Dr. Shiv Prakash Singh Sr. Technical Manager 9450666979 drshiv@wafdcn.com	As Notified by State Government	25th April, 2027	Not Applicable	Not Applicable
26	Varden Bawro Lab, Gurgaon, Plot No. 62A, Sector 5, IMT Meenagar, Gurgaon - 122051, Haryana	86/74/PSSAI/2022	TC-6299	Y	Quality Manager +91 90157719915 gaurav@varden.com Dr. Sauril Babbar (Director & Quality Manager) Tel: 012782857125 Mobile: 9112190099, 09910154321 Email: info@varden.com, sals@varden.com	Mr. Iharaswara Kumar Datta Ms. Deepika Chaudhan, Mr. Sangeetha	27th Aug, 2026	Not Applicable	Not Applicable
27	Satara Quality Certifications Private Limited, F-17, MOODERN INDUSTRIAL ESTATE, RED CROSS ROAD, Bahadurgarh, Haryana	27/74/PSSAI/2014	TC-2113	N	Mr. Satish Joshi (Director) Tel: 0177-5048600, 5048601 Mobile: 99872792499 Email: Panchbaba@chobabha.com, info_112@pachbas.com, pti.chobabha@gmail.com	-	Not Applicable	21st March, 2029	Not Applicable
28	Chakra Laboratories Limited, Panchbaba Plot No. 862, Industrial Area, Phase II, Panchbaba-734112, Haryana	24/74/PSSAI/2014	TC-2355	N	Mr. Anil Arya (CEO) Tel: 0173-5019127; Mobile: 99876971976 Email: drach@pqa.com	Mr. Sachin Chaudhary Joshi	11th Nov, 2028	Not Applicable	Not Applicable
29	Dawn Research & Analytics, Panchbaba Plot No. 298, Industrial Area, Phase-II, Panchbaba-134109, Haryana	30/74/PSSAI/2016	TC-4063	N	-	-	30th Jan, 2029	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL/ISSAI Integrated Accredited Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other	
									MARR Certificate Number
30	Eurochem Analytical Services India Pvt. Ltd., Gurugram First Floor, Plot No 157, Udyog Vihar, Phase - 4, Gurugram, Haryana	38/N/ISSAI/2016	Y	Dr. Poojai Jaiswal Managing Director Email: poojai.jaiswal@eurochem.co.in Mobile: 087900601108 Ms. Ardi Triwadi Manager-Jab Operations Email: ardi.triwadi@eurochem.co.in Mobile: 08951957643	Ms. Anjali Thaver, Mr. Kunalish Manryya Mr. Ashish Kumar Jha	14th March, 2027	Not Applicable	Not Applicable	
Chennai & Kanchi									
81	Compuchem Testing Laboratories, Kadugaitur Distt., Salem, T.P.-173215	61/N/ISSAI/2021	Y	KIPU DAMAN KUMAR 9418878254 celianandjani@gmail.com	As Notified by State Government	24th May, 2027	Not Applicable	Not Applicable	
82	Aurigo Research Lab India, B-6/11 D.C. Complex, Opposite Glass Road, Village Begunah, T. Jeevanpalli, District - Salem - 174101, Kanchi District	33/N/ISSAI/2016	N	Mr. Suresh Tel: 01795 82445, Mobile: +91 9318759781 Email: sude@aurigochem.com shuresh, 98879009910 sude@aurigochem.com	-	25th Nov, 2019	Not Applicable	Not Applicable	
Tamil Nadu & Karnataka									
88	Public Health Laboratory, Jinnah, Patel Mangalot, Jinnah-180007	74/N/ISSAI/2021	Y	Contact Person : SUMIT SHREE Tel No. : 9796201517 Fax No. : Email : publichealthpatel@gmail.com	As Notified by State Government	20th Jan, 2028	Not Applicable	Not Applicable	
34	Public Health Laboratory, Sringeri, Dalgota, Sringeri-190001.	75/N/ISSAI/2021	Y	Contact Person : Balas Ahmad Bhat Tel No. : 7004613540 Fax No. : Email : publichealthsringeri@gmail.com	As Notified by State Government	20th May, 2027	Not Applicable	Not Applicable	
Punjab									
35	Punjab Biotechnology Incubator, Mohali Knowledge City, Sector-81, SAS Nagar, Mohali, Punjab, India	0/N/ISSAI/2014	Y	Dr. Ajit Dns (CEO) Tel: 0172-8028891/95 Fax: 0172-5020895 Mobile: 99913314974 Email: ajeet2005@yahoo.com	Mr. Arjit Agarwal	24th July 2027	Not Applicable	Not Applicable	
36	Food Laboratory (FOI), Punjab FIA Building Near Civil Hospital, Chaura-140201, SAS Nagar, Punjab	66/N/ISSAI/2021	Y	E-mail: arvindgupta175@gmail.com Contact Person: Hardeep Kaur Mobile: 9888837993	As Notified by State Government	27th September, 2026	Not Applicable	Not Applicable	
97	Sai Tans Herasa Private Limited, Ludhiana Services, 13, Jeevan Vigraha Road, Phase - V, Ludhiana, Punjab-141010	9/N/ISSAI/2014	N	Mr. Ashish Bhat (Director) Tel: 0161-2670086/37/38, Fax: 0161-2671007, Mobile: 8422181000 Email: info@sh.com.in, balbhat@sh.com.in	-	15th Feb, 2026	Not Applicable	Not Applicable	

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-PTSMI Integrated Accredited Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
38	DECLASS Systems and Solutions Private Limited, Jodhpur CGT Tower, B-11(G), Malviya Industrial Area, Jodhpur-342017	22/74/PSSMAI/2014	TC-2848	Y	Dr Vilas Gogia Email ID: Vilas.Gogia@rtdclass.org Contact: Number/Mob: 9634466982 Mr. Pradyip Sharma Email ID: kb@rtdclass.org Contact: Number/Mob: 9899452551	Mr. Ravens Gupta Mr. Vijay Kumar Chojra	2nd Mar, 2027	Not Applicable	2nd Mar, 2027 (Mechanical)
39	JAGDAMBA LABORATORIES (P) PRIVATE LIMITED, Jodhpur 119, Shikhar Industrial Park, Phase 1st, behind Kallan, Bagro, Jodhpur-342007	25/74/PSSMAI/2016	TC-11817	Y	Mr. Gauraj Sharma (Director) Tel: 0141-2391064 Mob: +91 9829124199 Email: jagdambalab4@gmail.com	Mr. Kuldip Singh	12th Feb, 2026	Not Applicable	Not Applicable
40	Colibriator Phyto Lab Private Limited, Jodhpur 1st Floor, Plot No. 24-31, 25-30, Khara No. 135/1, Somanthi Village, Sanganer Farms, Jodhpur, Rajasthan	03/74/PSSMAI/2023	TC-11685	Y	Mr. Sridheep Sharma (Lab Manager) Contact: 9898878686; Email: info@phytolab.in	Mr. Sejal Eswara.	17th May, 2027	Not Applicable	Not Applicable
41	National Terti House (Ministry of Consumer Affairs, Food & Public Distribution, Department of Consumer Affairs) B-763, Road No. 97-2, VEG area, Jodhpur- 342019, Rajasthan	36/74/PSSMAI/2016	TC-5391	Y	Mr. Balvish Sahni (Scientist, Incharge) Tel: 0141-2882057, 2882068, 09414046988 Email: ntbljodhpur-c@nic.in, ntbljodhpur@gmail.com Dharmendra Bhattacharya 9883014235 ntbljodhpur-c@nic.in		21st Aug, 2027	Not Applicable	21st Aug, 2027 (Mechanical, Electrical)
42	State Central Public Health Laboratory, Jodhpur Main Swasthya Bhawan, 50th Colony, Maindri Marg, Jodhpur, Rajasthan-342004	62/74/PSSMAI/2020	TC-3946	Y	Sd. Karan Singh Thakur, Chief Public Analyst, E-mail Id: chiefpublicanalyst@gmail.com Mob: 09414275026	Sd. Karan Singh Thakur	05th Aug, 2026	Not Applicable	Not Applicable
43	Public Health Laboratory, Udaipur M. B Govt. Hospital Campus, Near Transport Centre Udaipur, Rajasthan-311001	68/74/PSSMAI/2021	TC-3008	Y	Contact Person : Sd. HAVI BETHI Tel No. : 9898007929 Email : foodanalyst.udaipur@gmail.com	Sd. HAVI BETHI	3rd March, 2027	Not Applicable	Not Applicable
44	Public Health Laboratory, Bhavnagar Company High School R.J.M. Hospital, Near Swasthya Bhawan, Bhavnagar, Rajasthan-321001	70/74/PSSMAI/2021	TC-9912	Y	Contact Person: Smt. NIBETA GUPTA Tel.No. : 9414920830 Pan No. : Email : pnbhbnagr@gmail.com	Smt. NIBETA GUPTA	07th March, 2027	Not Applicable	Not Applicable
45	Public Health Laboratory, Jodhpur C-27, Station Road, Jodhpur, Rajasthan, India	73/74/PSSMAI/2021	TC-9402	Y	Contact Person Sd. ASHISH RATHORE Tel.No. : 9460494090 publicanalyst.jodhpur@gmail.com	Sd. ASHISH RATHORE	4th April, 2027	Not Applicable	Not Applicable
46	Public Health Laboratory, Bhavnagar, Mahatma Gandhi Hospital Campus, Bhavnagar, Rajasthan-317001	76/74/PSSMAI/2021	TC-9465	Y	Contact Person : Sd ASHISH RATHORE 9460494090 Email : pnbhbnagr@gmail.com	Sd ASHISH RATHORE	25th April, 2027	Not Applicable	Not Applicable
47	Public Health Laboratory, Bhavnagar, Sardar Patel Medical College Campus, Bhavnagar, Rajasthan-314001	06/74/PSSMAI/2021	TC-9398	Y	Sd. Indrajit Aravty 9929637386 foodlabkumar2019@gmail.com	Sd. Indrajit Aravty	18th June, 2027	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	MARR Certificate Number	MARR-PMRAI Integrated Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
<p>The detailed scope may be seen from the MARR website : https://marr-aiiaa.org/ under Laboratory Search for an Accredited Laboratory using MARR Certificate (TC) Number of the laboratory.</p>									
48	Amal Pharmaceuticals Private Limited, Jaipur Analytical Division, E-363-364, Sitapura Industrial Area, Sitapura, Jaipur-302022, Rajasthan	2/74/PSSAI/2014	TC-8197	N	Mr. Girish Kumar Maheshwari (PT-Technical) Tel: 0141-2771132, 2771007/8, 2771159 Fax: 0141-2770744 Email id: girishmaheshwari1960@gmail.com, girishmaheshwari1960@gmail.com	-	13th Dec, 2026	Not Applicable	Not Applicable
49	Public Health Laboratory, Mansarovar Hospital, Jaipur Road, Mansarovar, Jaipur-302001	69/74/PSSAI/2021	TC-9269	Y	Contact Person : Smt. PRIYANKA SONI Tel. No. : 978522493 Email : publichealthlabjaipur@gmail.com	Smt. PRIYANKA SONI	17th Feb, 2027	Not Applicable	Not Applicable
50	Omega Test House Private Ltd.(Omega Test House), Jaipur J-889, Phase III, Sitapura Ind. Area, Jaipur - 302022, Rajasthan	66/74/PSSAI/2016	TC-16122	N	Mr. Trilok Singh (Quality/Technical Manager) Mobi: +91 9414074020, +91 9829051363 Email: omegatesthouse@gmail.com	-	28th Feb, 2026	Not Applicable	Not Applicable
51	Public Health Laboratory, Seta MBS Hospital complex near IMA Hall, Maysapur, Kota-324001, Rajasthan	71/74/PSSAI/2021	TC-9330	Y	Contact Person : Sh. Manish Gupta 9461100690, 7978564399 Email : swetha041@gmail.com	As Notified by State Government	15th March, 2027	Not Applicable	Not Applicable
Uttarakhand									
52	State Food and Drug Testing Laboratory, Rudrapur Old I.L.S. Govt. Hospital Campus, Near Indira Chowk, Kishan Road, Udan Singh Nagar, Rudrapur, Uttarakhand	67/74/PSSAI/2021	TC-9125	Y	MUSANT T/AGI 9719229849 Email : atthiwa@gmail.com	As Notified by State Government	81st Dec, 2026	Not Applicable	Not Applicable
53	Devnani Testing and Research Laboratory Private Limited, Haridwar 94, Shri Ganga Industrial Estate, Lalbasant, Bhagwanpur-247661, Bijnौर, Dist: Haridwar (U.K)	26/74/PSSAI/2014	TC-6467	Y	Dr. Harvinder Singh Chaudha (Technical Director) Tel: 91332-295415, Mobile: 89997844448, 09760344447 Email: drhvj@rediffmail.com	Mr. Rajendra Pal	23rd Nov, 2027	Not Applicable	Not Applicable
Uttar Pradesh									
54	AIS Laboratories Private Limited, Noida B-116, Phase-II, Noida-201305, Uttar Pradesh	18/74/PSSAI/2014	TC-6908	Y	Mr. Vishal Arora (Director) Tel: 0120-4646723, Mobile: +91 9811391569 Email: vishalarora@aislabs.com, vpr@aislabs.com, Support@aislabs.com	Mr. Prakash Sood Ms. Manoj Kumar Mr. Ashish Kumar	23rd Dec, 2027	Not Applicable	23rd Oct 2027 (Not scheduled, BDT)
55	National Food Laboratory, Ghazipur (In PPF with Arco Pharmaceuticals Pvt Ltd), Abbasia Charat-II, Indrapuram, Ghazipur, Uttar Pradesh	61/74/PSSAI/2020	TC-5851	Y	Sh. SS Raghav (Director), E-mail id: trishita1971@gmail.com; ss.raghav@food.gov.in	Mr. Surender Singh Raghav Ms. Laxmi Devi Ms. Deepika Meekherwal Ms. Ruby Mishra	23rd Feb, 2026	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	MARR Certificate Number	MARR-PTSMI Integrated Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
56	Regional Public Analyst Laboratory, Panchsheel, Agri, Uttar Pradesh Bansrodhi Mahana, Near Bhatnagar Institute of Food Management, Panchsheel, Agri, Uttar Pradesh-208006	79/79/PSS6A/2021	TC-9478	Y	Contact Person : RUKENDRA KUMAR Tel.No. : 89790707719 Email : rukulabagra@gmail.com Abhishek kumar gopra rukulabagra@gmail.com 7983032678	As Notified by State Government	27th July, 2027	Not Applicable	Not Applicable
57	Government Public Analyst Laboratory, Lucknow Sector-C, Chhatra Whse, Aliganj, Lucknow, Uttar Pradesh	50/79/PSS6A/2017	TC-13779	Y	Dr. S.K. Paul (Assistant Commissioner Food & Drugs) Tel: 9888877998 Email: smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com	As Notified by State Government	28th May, 2026	Not Applicable	Not Applicable
58	Vizma Labs Ltd, Noida Bag No. Sector-8, C-5B, Block C, Noida, Gautam Buddha Nagar, Uttar Pradesh	64/79/PSS6A/2021	TC-8970	Y	Ms. Shaily Thurgava; shailythurgava@vizma.com Mobile - 91210092108 ; Agave Sharma - Quality Manager Email: agave.sharma@vizma.com Mobile: 918922828	Mr. Deepak Paul	26th Aug, 2026	Not Applicable	Not Applicable
59	Aicharya Laboratories Pvt. Ltd, Noida B-100, Phase-II, Noida-201 305, Uttar Pradesh (New Address-III/5A, Bostony Campus, Block B, Noida Phase-2, Uttar Pradesh)	61/79/PSS6A/2016	TC-6819	N	Director: Himansu - Mr. Sandeep Kumar Jindal Contact number : 7045088001 Tel: 0120-4659212, 4324618 Fax: 0120-4324618 Mobile: 98009877598 Email ID : sandeep.jindal@vishayvaha.com, Contact@vishayvaha.com, info@vishayvaha.com	-	12th Jan, 2029	Not Applicable	Not Applicable
60	Regional Public Analyst Laboratory, Jhansi M.L.B. Medical College Campus, Jhansi, Uttar Pradesh	54/79/PSS6A/2018	TC-6890	N	Dr. Anoop Chandra Tel: 0510-2440280, Fax: 0510-2440380 Mobile: 98009877598 Email: anoopchandras9@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com	As Notified by State Government	09th Nov, 2028	Not Applicable	Not Applicable
61	Regional Public Analyst Laboratory, Varanasi, Uttar Pradesh CSC Campus, Shyampur, Varanasi, Uttar Pradesh-221008	68/79/PSS6A/2021	TC-9429	Y	UNORSE CEANDRA GANGWAI 9451403565 smpaul09@gmail.com And Kumar Varma, 9458526045 smpaul09@gmail.com	As Notified by State Government	15th April, 2037	Not Applicable	Not Applicable
62	Regional Government Public Analyst Laboratory, Gorakhpur, BBD Medical Campus, Gorakhpur, Uttar Pradesh	60/79/PSS6A/2020	TC-7904	Y	Dr. K.P. Singh Tel: +91-9415467712 E-mail Id: smpaul09@gmail.com, divindasmpaul09@gmail.com Dr. Charan smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com, smpaul09@gmail.com	As Notified by State Government	18th Feb, 2027	Not Applicable	Not Applicable
63	Regional Public Analyst Laboratory, Meerut Lala Lajpat Rai Medical College Campus, Garh Band, Meerut, Uttar Pradesh	66/79/PSS6A/2023	TC-16466	Y	Dr. Arad Prakash Sharma & Ashok Deyani, 09415811881, smpaul09@gmail.com	As Notified by State Government	20th July, 2027	Not Applicable	Not Applicable

Sl.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-PSMAI Integrated Accredited Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
64	Medinal Test House (Microbarn, Beglona), Gandhinagar, Gandhinagar, Gandhinagar - 201, 002	43/N/PSMAI/2016	TC-6670	Y	Mr. Rajesh Kumar Mob: 97003775965 E-mail: nblcr-ea@rediffmail.com 9811366544	Mr. Souvikhar Majumdar	03rd Feb, 2027	06rd Feb, 2027	03rd Feb, 2027 (Mechanical)
65	QC Lab, Shreeam Road & Pharus Bazaar Centre, AO-150, Second Floor, Anant Road Compound, UPREDC Industrial Area, G Road, Gandhinagar, Uwar Pradesh	89/N/PSMAI/2025	TC-L3803	Y	Mr. M.V. Tyagi Email: svpr2022@gmail.com Mobile: 9306916052	Mr. M.V. Tyagi	27th Feb, 2026	27th Feb, 2026	Not-Applicable
B. WESTBENCH REGION									
66	Research and Sagar Karmali and Deenan and Dora Research Foundation, Deenan (A Division of Sagar Research Laboratories Pvt. Ltd.) Plot No. 338/A, Rajhad Cakhat Ground, Kachigam, Deenan-3996710	17/N/PSMAI/2014	TC-18675	N	Mr. Girish Patel (Technical Manager) Tel: 0260-2244766, Mobile: 99377004366 Email: pcc@researchlabgroup.com	---	14th May, 2026	14th May, 2026	Not-Applicable
67	Accurate Diagnostics Laboratory Private Limited, Ahmedabad D-171 to 174, 269 to 266, old old Industrial Park, Kankar Dargapur, Raichiyam, Ahmedabad, Gujarat	25/N/PSMAI/2016	TC-3021	Y	Mr. Piyush Amin (Proprietor) Tel: 979-6646467, Mobile: 99824014571 Email: info@accuratediagnostics.in	---	26th March, 2027	26th March, 2027	Not-Applicable
68	Analytical and Environmental Services, 310, GIDC, Makhyam, Santhi Tech Compound, vadhavara-390010, Gujarat	7/N/PSMAI/2014	TC-17012	Y	Mr. V. B. Narendra (CEO & Partner) Tel: 638667778 Mobile: 99823655943 Email: vnanand@rediffmail.com	Mr. V.B. Narendra Mr. K.A. Patel Mr. K.N. Gadhani Mr. G.B. Gadi	26th Feb, 2026	26th Feb, 2026	Not-Applicable
69	ET-Tech Healthcare Laboratory Research centre, Ahmedabad 201, Sahaj Arcade, Opp. Maruti Hindimart, Near Sola Gun, Science City Road, Ahmedabad - 380 060, Gujarat	39/N/PSMAI/2016	TC-3618	Y	Dr. Rajesh Patel (CEO) Tel: 079-43327452 Mobile: 9999971271 Email: rajeshpatel@rediffmail.com	Ms. Nisha Ramnambhal Patel	25th Sept, 2026	26th Sept, 2026	Mechanical - 25th Sept, 2026
70	Edaha Analytical Laboratories LLP, Sarat Block No. 327, Plot No. 66/69/90/91/92, Siddhivinayak Industrial Estate, Village Keshavnagar, Sarat, Gujarat	52/N/PSMAI/2018	TC-9179	Y	Mr. Bhavesh Zambhal Bagaria Tel: 0791-9222930/9999955443 Mobile: 9797794415 / 9824322298 Email: edaha@rediffmail.com	---	19th Oct, 2027	19th Oct, 2027	19th Oct, 2027 (Mechanical)
71	Regional Food Laboratory, Bafra Government of Gujarat, Near : Faruqi Science Laboratory, University Road, Bafra - 360 005, Gujarat	42/N/PSMAI/2018	TC-5421	Y	Mr. P.E. Bhargava (Senior Scientific Officer and Food Analyst) Mobile: 99427845228 06-64489-raj@gsfprnt.gov.in	As Notified by State Government	23rd April, 2026	Not Applicable	Not-Applicable

Sl.No	Name and Address of the Laboratory	Registration Number	MARL Certificate Number	MARL-PTSMI Integrated Accredited Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
					the detailed scope may be seen from the MARL website : https://mhl-tadla.org/ under Laboratory Search for an Accredited Laboratory using MARL Certificate (TC) Number of the laboratory.				
72	SES India Private Limited, Ahmedabad 201, Sarani-1, Near Garudwara, 5G Highway, Thaneb, Ahmedabad-380054	22/N/PSSSA/2014	TC-5078	Y	1. Ms. Purni Shah, Laboratory Manager Tel: 079-41609100, Fax: 079-41609111 Mobile: 98989898220 Email: purni.shah@gmail.com, purni.shah@gmail.com 2. Mr. Harish Thacker Landline: +91-7961683113 E-mail: harish.thacker@gmail.com Mumbai Maharashtra 400042	Mr. Parthiv Kumar Rajendraprasad Gupta	31st March, 2026	Not Applicable	Not Applicable
73	Gujarat Turkish Pvt. Ltd., Ahmedabad B-16,17, Madhavpura Market, Shahibag, Ahmedabad-380044	29/N/PSSSA/2016	TC-9561	Y	Mr. Esmailh Amin (C.E.O) Tel: 079 - 25626040, 25624821 Mobile: 98825407980 Email: gfbab@gmail.com	Mr. Hasmal Mustabbal Desji	11th March, 2026	Not Applicable	Not Applicable
74	Vivata Labs Limited, Ahmedabad B-303 & B-304, Eshp Aroon Tower-B, Studio Bhorwa Road, Bodhivay, Ahmedabad-380055, Gujarat	47/N/PSSSA/2018	TC-1334	Y	Aparaj Sharma - Quality Manager Email: aparaj.sharma@vivata.com Mobile: 9108128825	Mr. Sachin Patel	21st March, 2026	Not Applicable	Not Applicable
75	Public Health Laboratory, Surat 2nd Floor, Vasa urban health center, Dps Vasa first station, Vij Road, Vasa, Surat - 395007 Gujarat	57/N/PSSSA/2021	TC-8536	Y	Contact Person : SHAFIYUNISWA HABIBWALA Tel No. : 6359773861 Fax No. : Email : psl@suratuniversity.ac.in	As Notified by State Government	18th May 2027	Not Applicable	Not Applicable
76	Public Health Laboratory, Vadodra Municipal Corporation, 1st and 2nd Floor Old Vicks Building, Vanajgaaj, Vadodra- 390002, Gujarat.	58/N/PSSSA/2021	TC-9559	Y	Contact Person : MAHESHKUMAR L.PATIL 9824117544 Email : pshlab@gmail.com	As Notified by State Government	30th May, 2027	Not Applicable	Not Applicable
77	Regional Food Laboratory, Bhuj New Lona Ring road, Bhuj, Gujarat	48/N/PSSSA/2018	TC-6286	Y	Mr. Jituj Kumar, jkumar J. Scientific Officer A Food Analysts , 9488005947 Phone: 8281-2587029 Email: jkumarjit24@gmail.com, Email: rj.jkumar@yahoo.in, Pwsh7774@rediffmail.com	As Notified by State Government	22nd Sept, 2026	Not Applicable	Not Applicable
78	Public Health Laboratory, Ahmedabad 1st Floor, Harnangpura Urban Health Centre, Opp. Deypach Building, 8th Lal Bungalow, CG Road, Ahmedabad - 380 009, Gujarat	46/N/PSSSA/2018	TC-7467	Y	Dr. Esham Email: pshlabah@gmail.com Mobile: 98877201501 pshlabah@gmail.com	As Notified by State Government	09th Nov 2026	Not Applicable	Not Applicable
79	NDDB CALF Lab., National Dairy Development Board, NDDB Campus, Ahmad, Gandhinagar-380001	59/N/PSSSA/2021	TC-11516	Y	MJ, Sangeetha Mishra, 92693-226807, 230319, mshiraj@gmail.com, jrooth@gmail.com Tel No. : 9810466977 Fax No. : 8265-236822 Email : dr.mishra1974@gmail.in Contact Person : MAHESH KUMAR Gyandhar Sankar.gand.98@gmail.in 9826938268	Ms. Priti Yadav Mr. Anil K. Mahipya, Ms Animesh Mahruva	18th Oct, 2027	Not Applicable	Not Applicable
80	Central Boreas & Custom Laboratory, Room No.-811 3rd Floor, ISBT Bhawan, Subhaspura Vadodra-390028	62/N/PSSSA/2021	TC-9442	Y		-	11th April, 2026	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-PTSMI Integrated Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
90	Krishna Digital Material Testing Laboratory, Bhopal, 2, Bhuvanagar, J.C. Road, Bhopal, M.P.	37/W/PSSAI/2017	TC-7016	N	Mr. Piyush Gangole Tid: 0755-4001289 Fax: 0755-4246045 Mobile: 89423818624, 9425141028 Email: krishna12@gmail.com Mtp:2815@gmail.com	---	08th March, 2026	Not Applicable	Mechanical 08th March, 2026
91	Cell - Laha Private Limited, Bhopal Khasra No - 11/1/1/2/2, Ward No. 79, Lambhoda Bazarra Road Bhopal, Madhya Pradesh-462016	12/W/PSSAI/2014	TC-9210	Y	Mr. Abhishek Mahiya (Managing Director) Mob: 7024251111 Tel: 0755-4018281, 9981139988. Email - cellaha@gmail.com	Dr. Ashok Kumar Mishra, Mr. Deepak Ashok Tenzak	29th June, 2027	Not Applicable	Not Applicable
92	QTL Labs Private Limited, Indore 300-382 Lakshmi Bagrooy, A/2 38 Palasia, Indore-462 009, Madhya Pradesh	28/W/PSSAI/2016	TC-7890	N	Mr. Jayesh Agrawal (Director) Tel: 0731-4021739 Email: info@qualitytestinglabs.com	Dr. Abhishek Madhusetti, Ms Deepika Deepika Singh	30th Oct, 2029	Not Applicable	Not Applicable
93	Prest Laboratories Private Limited, Indore 113/1 Bhalpur Road, Indore, Madhya Pradesh	69/W/PSSAI/2028	TC-11664	Y	Mrs. Anurupa Gupta; Ph: 09770460362, 09770302430; Email: info@prestinlabs.com	Mr. Umesh Kumar, Ms. Deepika Garg Mr. Ranaj Kumar	02nd July, 2027	Not Applicable	Not Applicable
94	EMEX Laboratories Pvt. Ltd. 28, Electronic Complex, Paradipura, Indore, Madhya Pradesh	79/W/PSSAI/2026	TC-16539	Y	Mr. Ajay Malhotra Ph:7869110561 ; Email: info@emexlabs@gmail.com	Umasi Kumar Babu	05th August, 2027	Not Applicable	Not Applicable
95	Tarsons India Laboratories Private Limited, Mumbai 301-304 Promod's Industrial Estate, 3rd Floor, Daxa Road, Jagdevnagar (East), Mumbai - 400066	19/W/PSSAI/2014	TC-3835	Y	Mr. Meena Bhushan Shingde (Managing Director) Tel: 022-28125190 Fax: 022-28245116 Mobile: 9921318289 Email: labindia@tarsons.com, meena@tarsons.com	Ms. Ujjwala Krishna Kumar, Mrs. Sofia Ramchandran Bagwa, Mrs. Jayashree Rajendra Patkar, Ms. Babana Mohit Irani Anant	03rd Oct, 2027	Not Applicable	Not Applicable
96	Bureau Veritas India Pvt. Ltd, New Mumbai Plot No. B3/B4, TTC MID Area, Digha MIDC, Digha, New Mumbai, Thane, Maharashtra	71/W/PSSAI/2024	TC-7765	Y	Mrs. Sheetal Kamdar, sheetal.kamdar@bureauveritas.com, 7276112807	Sanj Kunal Chetan Singhary Mr. Sudip Bora Ms. Nilam Naikaral	29th Aug, 2027	Not Applicable	Not Applicable
97	Advansed Engineers & Consultants, Nashik Survey No. 102, Plot No.35, Walsala Postward Road, Indira Nagar, Nashik-422009, Maharashtra	9/W/PSSAI/2014	TC-3509	Y	Dr. Anurupa Pharsode (MD) Tel: 0253-2892225, 2391885(direct), Mobile: 89825885516/ 94222861081 Email: anurupa@advansed.com, anurupa@advansed.com, advansedquality@gmail.com	Dr. Anurupa Sand Pharsode Mr. Kunal Arvind Sandankar	22nd Nov, 2027	Not Applicable	Mechanical -2nd Nov, 2027
98	Bee Phurroo Labs Pvt. Ltd., Thane C-2, Hazimk Udhyog Nagar, Mira Bhayandar Road, Mira Road (Q), Dist. Thane	46/W/PSSAI/2017	TC-5497	Y	Mr. Bhavish Lambakya (Technical Director) Mobile: 9820113794 Email: bhavish@bee-phurroo.com, food@bee-phurroo.com	Ms. Anurupa Manoharada Saik, Ms. Shivangi Shirish Saikar	06th May, 2027	Not Applicable	Not Applicable

Sl.No	Name and Address of the Laboratory	Registration Number	MARL Certificate Number	MARL-PTSMI Integrated Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Radiological	Validity Other
99	Doctors' Analytical Laboratories Private Limited, Mumbai Plot No. B 869, TTC MIDC Bahala, Old Thane Bypass Road, Bahala, New Mumbai - 401781	4/W/PTSMI/2014	TC-128569	Y	Mr. Ashay Sanjay Khatke (Director) Tel. No. 822-21895000 Mobile: 9992883660 Email: ashay.khatke@daifu.com ; quality@daifu.com.in	Mr. Bal Shambhar Prabhu	13th Mar, 2026	13th Mar, 2026	Not Applicable	Not Applicable
100	Sarvodaya Labs Private Limited, Mumbai Savita House, Plot No. A9-A8 Savita House, MIDC Main Road, Wagle Industrial Estate, Thane 400604, Maharashtra	0/W/PTSMI/2014	TC-8284	Y	Dr. Nisha Armitkar (Managing Director), Dr. Poo Anantkar (Director, Lab) Tel: 022-45838286, 87, 88 Fax: 022-25838289 Mobile: 9318723003, 9318723001 Email: info@sarvodaya.com, info@sarvodaya.com, sarvodaya@sarvodaya.com, nisha@sarvodaya.com	Ms. Rashmi Suresh Nair, Mr. Siddharth Hingavansoo Tulsi Mrs. Soumya Bhatkare Nair	22nd Mar, 2026	22nd Mar, 2026	Not Applicable	Mechanical -2nd Mar, 2026
101	Geo-Chem Laboratories Private Limited, Mumbai Project, Adjacent to Conquest Green, Kharjodiy (B), Mumbai-400042	16/W/PTSMI/2014	TC-11482	Y	Contact Person: Mr. Digvijay Sawant Mob No: +91 9819 939 906 ; Email: laboratory@geochem.net.in, surabh@geochem.net.in	Mr. Digvijay Subaji Sawant, Mrs. Sarika Mangesh Sawant	14th May, 2027	14th May, 2027	Not Applicable	Not Applicable
102	Mauri Labs Private Limited, Pune Plot No 1 & 2, Gun No. 27, Khandesh Park, Sahajgaon Road, Pune-411041, Maharashtra	28/W/PTSMI/2014	TC-6678	Y	Dr. V.S. Kuskar (Managing Director) Tel: 744749592/53 Mobile: 7447426954/56 Email: vskuskar@gmail.com, vskuskar@gmail.com	Dr. S. Sushamir Shrivastava (Rural)	28th Feb, 2026	28th Feb, 2026	Not Applicable	28th Feb, 2026 (Mechanical)
103	MicroChem 3018K Private Limited, Mumbai D-87, TTC Industrial, MIDC, Thane, Thane, New Mumbai 400723	14/W/PTSMI/2014	TC-9960	Y	Mr. Jeevantra Pral Tel: 022-39469700/ 27787800, Fax: 022-39469701 Email: jeevantra@microchem.com, jeevantra@microchem.com	Dr. Jeevantra Vikram Pral Ms. Anuram Mahan Praver	16th March, 2026	16th March, 2026	Not Applicable	Not Applicable
104	Prechem Analytical Labs(A Division of Neger Organics Pvt.Ltd.) Mumbai B-22, Road No.14, Wagle Industrial Estate MIDC, Thane (W), Mumbai, Maharashtra-400604	25/W/PTSMI/2014	TC-7783	Y	Jyotana Praver Phone no. - 022 25827041 Mobile no. - 98769804657 General Manager Quality E Mail ID - jpraver@neger.com, jprave@prechemanalytical.com	Ms. Jyotana Praver Ms. Shweta Gupta	19th Feb, 2026	19th Feb, 2026	Not Applicable	Not Applicable
105	Swati Public Health Laboratory, Pune Caravan: Water Works Compound Sanyal Road, Near St. Mary's School, Pujanga Camp Pune-411091, Maharashtra	51/W/PTSMI/2018	TC-11706	Y	Shri Vinod Kulk, Deputy Director of Health Services. E-mail id: stahlab@swati.com ; stahlab@swati.com; chprave128@yahoo.in Telephone nos 914687767, 914587787, 992887749	As Notified by State Government	25th May, 2027	25th May, 2027	Not Applicable	Not Applicable
106	TUV India Private Limited, Pune Survey No: 52, 37, 83/72, Sonabhadra, Pune-411021	3/W/PTSMI/2014	TC-5288	Y	Ms. Sarita Kamra Tel: 020-67900075 Mobile: 9990507707 Email: sonabhadra@tue-india.com, jkhar@tue-india.com	Ms. Meetha Kulkarni, Mr. Shantoshwar Bhardwaj, Mr. Anil Kumar Rajgopal, Ms. Meghna Sourenjee	17th March, 2027	17th March, 2027	Not Applicable	Not Applicable

the detailed scope may be seen from the MARL website : <https://mhl-daifu.org/> under Laboratory Search for an Accredited Laboratory using MARL Certificate (TC) Number of the laboratory.

S.No	Name and Address of the Laboratory	Registration Number	MARL Certificate Number	MARL-PTSMI Integrated Accredited Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Radiological	Validity Other
107	National Food Laboratory, New Mumbai (In PPP with Varda Labs Pvt.Ltd), Sector 3, JET Township Shree, Tulaha Urua, New Mumbai-400707, Maharashtra	68/N/PSMA/2022	TC-10204	Y	Dr. Shweta Gupta (Joint Director) Email: shweta.gupta@nfl.gov.in Phone: 9920444265 shweta2016@gmail.com	1. Dr. A. Rajarajan, 2. Sandeep Narayanan, 3. Ms. Smita Yadav, 4. Ms. Anandha Singh	07th Jan, 2028	07th Jan, 2028	Not Applicable	Not Applicable
108	Food and Drug Administrations Laboratory (M.L.), Nagpur Plot No. B1 to E3, Plot No. 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000	64/N/PSMA/2022	TC-10217	N	Dr. Ashay Vijayak Nair 7799442665 ashay2016@gmail.com	As Notified by State Government Smt. Arvind Turakhed Zale Smt. Narendra Panstana Sonose	Not Applicable	Not Applicable	Not Applicable	Not Applicable
109	State Reference Lab, Plot No 96, Sector-10, POKTA, Bhamburda, Pune, Maharashtra-411026	65/N/PSMA/2022	TC-6639	Y	Vishal Gowda 7020272982 vishal@vsnl.com	1. Sachin Dilip Khatke & Mr. Subh Bajrang Khatke	05th Dec, 2029	05th Dec, 2029	Not Applicable	Not Applicable
110	Autocare Labs & Analytics Pvt. Ltd., 1-0029/J-0219/21/22, Akshar Business Park, New Mumbai, Eastern Road, Vashi, Kavi Shivaji, Thane, Maharashtra-400705	66/N/PSMA/2022	TC-11067	Y	9987991561, 9716762379; support@autocarelabs.com.	Ms. Yashvanti Agrahari	26th Oct, 2026	26th Oct, 2026	Not Applicable	Not Applicable
111	Export Inspection Agency, Mumbai Plot: Two House, E-3, MIDC Area, Marol, Andheri (E), Mumbai-400031	23/N/PSMA/2014	TC-6339	Y	Dr. Sachin Shukla, Assistant Director Tel: 022-28263401 Fax: 022-28399660 Email: sachinshukla@eia.gov.in; jrb-sh@eia.gov.in 9199957661	Mr. Prasenjit Bahadurankhan Mr. Mallik N	22nd April, 2026	22nd April, 2026	Not Applicable	Not Applicable
112	FMEL Private Limited, Puro Survey No. 126/10, Plot No.-1, Endapur Industrial Estate, Near-411013	18/N/PSMA/2014	TC-3931	Y	Mr. Baban Deshpande (Lab Head) Mobile: +91 8380074694, 9881237321 Email: lab@fmel.com, rohan@fmel.com	Ms. Sohan Mahesh Thurec Ms. Sohan Suresh Mahalle Ms. Sohan Sachin Babai	27th Aug, 2027	27th Aug, 2027	Not Applicable	Mechanical- 27th Aug, 2027
113	Eurolab Analytical Services Private Limited, Thane, Plot No. C-401, TTC Industrial Area, Pimpri MIDC, Thane, Maharashtra	72/N/PSMA/2024	TC-12649	Y	Ms. Shweta Paul, Ms. Shweta gaur, shwetapaul@eurolab.com / paulshweta@eurolab.com; 91 7259431031/7463263881	Mr. Jagdish DE Ms. Shweta Paul	08th Nov, 2027	08th Nov, 2027	Not Applicable	Not Applicable
114	Food Testing Laboratory, Food & Drug Administration Laboratory, Mumbai Plot No 941, Opposite ILEI, Bandra (East), Mumbai-400006	46/N/PSMA/2018	TC-14016	N	Ms. Shweta Datta, Director Tel: 022 26591992, 9920299411 (MAHIDIA CHAWAN) Email: shweta_datta@fda.gov.in	As Notified by State Government	25th June, 2026	Not Applicable	Not Applicable	Not Applicable
115	Assam Laboratory Private Limited, Wager PP-34,35 Bhatnagar Food Park, Five Star Industrial Estate, Wager-441122, Maharashtra	11/N/PSMA/2014	TC-12998	Y	Dr. S. D. Garway (Quality Assurance Manager and Director) Tel: 0712-2242077 Mobile: 9823167077 Email: s.dgarway@assamlab.com; s.dgarway@assamlab.com Sagarika Deshpande Garway 9373217475 sd.garway@assamlab.com	Mr. Shailesh Baban Gaidwad	06th Jan, 2028	06th Jan, 2028	Not Applicable	Mechanical - 06th Jan, 2028

S.No	Name and Address of the Laboratory	Registration Number	MARI Certificate Number	MARI-PSMAI Integrated Accredited Certification of Accreditation (Y/N)	Contract Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
116	Qualichem Laboratories, Nagarjuna Samsarth Commercial Complex, 4, North Banner Road, Gokulnagar Market, Chinayyaparth Extn., Nagpur-440 018	24/N/PSMAI/2014	TC-7067	N	Mr. Mohan Nagarmath (Proprietor) Tel: 0712-2332462, Fax: 0712-2564453 Mobile: 9373107919 Email: vj@qualichemlabs.com, mohan@qualichemlabs.com	Mr. Arun B. Sarjapati	30th June, 2026	30th June, 2026	Not Applicable
117	Microtech Laboratories, Pooze Plot No. GP-184, Shikhar Nagar, G-Block, MIDC, Chondwad, Puna - 411019, Maharashtra	27/N/PSMAI/2014	TC-14439	Y	Mrs. Chaitali S. Shinde (Director) Tel: 020-41268220 Mobile: 99828849578, 9975896695 Email: mikravshinde@gmail.com	Ms. Bhanuji Rajendra Ghavane	05th Sept, 2026	05th Sept, 2026	Not Applicable
118	Equinox Labs Pvt. Ltd. Near Mumbai Equinox Centre, B 65, TTC, Bhubli, Near Mumbai - 400 781	32/N/PSMAI/2016	TC-4820	Y	Sr. Ashwini Bharti (CEO); Tel: 922-6869390; Mob: 9920226789; Email id: ashwinibh@equinoxlabs.com	Mr. Pratik Ganesh Kogekar	9th Sept, 2027	9th Sept, 2027	Not Applicable
119	Blissed Engineering Private Limited, Thane Plot No. B-63, Road No. 30, Wagle Industrial Estate, Thane, Maharashtra	74/N/PSMAI/2025	TC-14967	Y	Ms. Madhulika Bhat, Director, Email: madhulika@blissed.com, quality@blissed.com, Mob: 09921626005, 093994118034	Ms. Kirjika Ms. Shweta Mishra	11th Aug, 2026	11th Aug, 2026	Not Applicable
120	Reliable Analytical Laboratories Private Limited, Thane Reliable Innes, 126 Indian Corporation Complex, Thane Road, Mumbai, Maharashtra, Thane-401302	21/N/PSMAI/2014	TC-3854	Y	Ms. Rashmi Khanna (Director) Tel: 9769331831, rashmi@reliablelabs.org Ms. Sakshi Joshi - Quality Assurance Manager 7738300049, quality@reliablelabs.org or sakshi.joshi@reliablelabs.org	Ms. Rashmi Khanna Ms. Sakshi Joshi Ms. Bin Kavathe	05th Sept, 2027	05th Sept, 2027	Not Applicable 05th Sep, 2027 (Microchemical, Electrical, Instrumentation)
121	Polifarm Pharma and Chemical Lab (OPC) Pvt. Ltd, Near Mumbai, Surya Gayatri, Plot No. D-14/15, Sector No. 6, Waze Parval (E), Near Mumbai-40206, Maharashtra	54/N/PSMAI/2019	TC-14943	Y	Dr. Madhuri A. Deshpande (Director), Contact No.: 09819659434 E-mail: director.pcl@psmaai.com, Dr. Aruna Deshpande, aadshinde@psmaai.com, 9819656196; or aadshinde@psmaai.com, aadshinde@psmaai.com	Ms. Chandraleela Shikole	23rd Aug, 2026	23rd Aug, 2026	Not Applicable
122	Ashish Scientific Research Center and Testing Laboratory Pvt. Ltd, Balaji Pharmacy and Research Center, Patvel, Balaji, Maharashtra	75/N/PSMAI/2025	TC-10633	Y	Mr. Prashant Mishra, Lab In-charge, Mob: 9888198902, Email: aashish@psmaai.com	Mr. Chandraleela Prasad Chandraleela	19th May, 2026	19th May, 2026	Not Applicable
123	Food and Drug Administrations Laboratory, Aurangabad, Gut.No. 19, Kanchanwadi, Aurangabad, Maharashtra	61/N/PSMAI/2020	TC-16784	N	Mr. RAJANISH S. 9049360645, Rajanishs@psmaai.com	As Notified by State Government	27th March, 2029	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-PTSMI Integrated Accredited Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
							31st July, 2027	31st July, 2027	Not Applicable
124	Dr Arun Concochem Private (Anand, Chowr De Anand Concochem Pvt Ltd (An Arun H Knight Company) Near Mumbai Road-A/73B, Section 2, TTC Industrial Area, Near Mumbad, Thane, Maharashtra	13/W/PSSSA/2014	TC-17186	Y	TIGRISH PARIKH (Head of Laboratory) Tel: 02224786273/74/75/76 Fax: 022- 24776310 E mail: tshilp@concochem.com tshilp@concochem.com Mobile: +91 9475722273 tshilp@concochem.com tshilp@concochem.com Laboratory.mumbai@shilpgroup.com	Mrs Smriti Talavadekar Mahesh Kumar Talavadekar	31st July, 2027	31st July, 2027	Not Applicable
125	SURFINE ANALYTICAL SERVICES INDIA PVT. LTD, 2ND FLOOR, KILORA CLEARER, PLOT NO. A-796, KHEAIRANE MIDC, KHEAIRANE, NAVI MUMBAI, MAHARASHTRA, INDIA	76/W/PSSSA/2025	TC-15546	Y	Kalpna Dada, Quality Manager Email: kalpna.dada@surfine.com Mobile: 9224551980	Ms Kalpana Suresh Dada Mr Dnyanesh Kumar Ms Sagarika Shrivastava	23rd Feb, 2027	23rd Feb, 2027	Not Applicable
126	QSS Inspection and Testing Private Limited, Plot No. 79 -71, 2nd Floor, Sector 19A, Vashi, Near Mumbai, Thane, Maharashtra	77/W/PSSSA/2025	TC-11484	Y	Uday S. Padhye email: uday@qss.com mobile: 9999999780	Ms Kunal Mahesh Shinde	26th Feb, 2027	26th Feb, 2027	Not Applicable
127	Chemco Test Laboratory, C-2/B, TTC Industrial Area, Prozone MIDC, Mumbai, Thane, Maharashtra	78/W/PSSSA/2025	TC-13813	Y	Dr. Boman Bhat email: bomanbhat@chemcotestlab.com	Ms Sujata Chavte	2nd April, 2026	2nd April, 2026	Not Applicable
128	Quamtek Labs Limited 1st Floor, 2 Block, Marathe ITI, Sector 19B, Phase II, Vashi, Near Mumbai, Thane, Maharashtra	80/W/PSSSA/2026	TC-16608	Y	Ms Chaitanya G. Pawar 9804954759; Email: chaitanya.pawar@quamtek.com	Ms Chaitanya G. Pawar Ms Anita Parbhakar Ms Bhargavya Jalga	11th Nov, 2026	11th Nov, 2026	Not Applicable
129	ABC Techno Labs India Private Limited D-164, Anand House, TTC Industrial Area, Near MIDC, Near, Near Mumbai, Thane, Maharashtra	81/W/PSSSA/2026	TC-16687	Y	Mr Bhat; No. 9940157777; Email: bhat@abcindia.com	A.S. Shinde	12th Jan, 2026	12th Jan, 2026	Not Applicable
130	A-65 Road No 16, Kusan Nagar Road, MIDC Wagle Industrial Area, Thane, Maharashtra	89/W/PSSSA/2026	TC-12207	Y	Mr Prabhakar Rajgopal Sakhare: ph-9801441525, 9819249298; Email: prabhakar@rajgopal.com, rajgopal@rajgopal.com, rajgopal@rajgopal.com	Mr. Sanyal Shrawaji Dhanpatra	06th Sep, 2027	06th Sep, 2027	Not Applicable
131	Food in Drug Laboratory, Directorate of Food and Drugs Administration, Opp. The Shrine of Holy Cross, Bamburda, Cross-408202.	61/W/PSSSA/2021	TC-13663	Y	Chandrabhan Kumbhli Mobile No: 9823026973 Fax No: 8832-249223 Email: off-dfda@govt.nic.in	As Notified by State Government	06th May, 2026	Not Applicable	Not Applicable

C-500TTHHBB MBRTDM

As per the Process

Sl.No	Name and Address of the Laboratory	Registration Number	MARL Certificate Number	MARL-PMSSAI Integrated Accredited Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
182	TDV SUD South Asia Pvt. Ltd. Vishakhapatnam A1, Industrial Estate, Kancherugudem, Vishakhapatnam -530007, Andhra Pradesh (Part No.19/IDA BLOCK - B,Auto Regar, Jhadi Village, GADIPAKA Mandali, Vishakhapatnam District, AP, INDIA Pincode: 530012)	50/S/PMSSAI/2017	TC-5558	Y	Dr. Mahabub Ali Shaik (Deputy General Manager) Mobile: 9678866786; Tel: +91-8886801188 E- mail Id: Mahabubali.Shaik@tdv.com P. Mahaveera Rao Pudania, Madhavaram, Kuvempudi Mobile: 9449275742; 8974972805	Ms. Barchha Radha Kumar	19th Feb, 2026	Not Applicable	Not Applicable
183	Interfield Laboratories, Vishakhapatnam, Plot No. CA, Green Industrial Park, Gunturwaru Village, Vishakhapatnam, Andhra Pradesh	89/S/PMSSAI/2024	TC-9197	Y	Dr. PIV Suresh, Lab Operational Manager, 07393864183, 06386697827, Email: op.manager@ifl.in	Mr. Vinodh Kumar, Mr. Pabitra Sera Mr. Satish Grewal Kopyala	3rd Jan, 2027	Not Applicable	Not Applicable
184	Vineta Labs Ltd, Mellara 3rd Floor, Mc Arada, Mid By- Manguni Layout, Nallara - 524004, Andhra Pradesh	51/S/PMSSAI/2017	TC-5644	Y	Aparna Sharma - Quality Manager Email: aparna.sharma@vineta.com Mobile: 918122825 Dr. Harshini Reddy A, Branch Manager, Mobile No. 9180994271 Email: harshinireddyshukla@vineta.com	-	22nd Nov, 2027	Not Applicable	Not Applicable
185	Food Testing Laboratory, (Jawahar) Melara Technological University, Kakinada School of Food Technology, (Jawahar) Melara Technological University, Kakinada, T.A. District, Andhra Pradesh, Pin 533005	36/S/PMSSAI/2018	TC-5185	Y	Manasa Dr. V. Jaya Prasad, Head, Food Testing Laboratory Designation: Head Mobile No: +91 70328 06655 e-mail: jprasad.vj@jtu.ac.in sujathajayaprakasam@melara.com / jprasad@melara.com Telephone No. +080-46968496 Mobile No. +91 7259451031/07748037689	Ms. Vignya Lakshmi Sandhya	25th Oct, 2028	Not Applicable	Not Applicable
186	Sureka Analytical Services Pvt. Ltd D NO 5-51-5-3/14, TOPASHT BICLAFE, BICODIPET, Duntare- 572003, Andhra Pradesh	92/S/PMSSAI/2025	TC-11266	Y		Mr. Shivabalan Selva	21st December, 2026	Not Applicable	Not Applicable
187	Auriga Research Limited, Bengaluru No. 136,6th Cross, 2nd Stage, Vishwasthapa Industrial Suburb, Bangalore-560032, Karnataka	25/S/PMSSAI/2016	TC-5496	Y	Belakumar Thappa mail id: qali@aurigaresearch.com Contact No. +91 9553999276	Mr. S.H Vinaykumar, Mr. Venkatesh Wajya Sagar Prasadani	30th March, 2026	Not Applicable	Not Applicable
188	Edara Analyticals (India) Private Limited, Bengaluru Plot No 24 II (P) II 24 D, ELADH Industrial Area Bengaluru, Hosur-562114, Karnataka	10/S/PMSSAI/2014	TC-12636	Y	Mr. Nigamj - Bangalore, CEO Mr. M Sathya Mouthy (Senior Manager-QA Quality Manager-IB) Tel: 08028815333 Mobile: 99741621119 Email: edaraanalyticals@edaraanalyticals.com sugeng.rajagopalan@edaraanalyticals.com	Mr. Suresh Reddy Mallikarjuna Rao, Mr. Jyoti Thomas	30th Jan, 2028	Not Applicable	Not Applicable

Karnataka

Sl.No	Name and Address of the Laboratory	Registration Number	MARR Certificate Number	MARR-PTSMI Integrated Accredited Certification of Accreditation (Y/N)	Contract Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
							28rd Aug 2027	23rd Aug 2027	Not Applicable
139	TUV SUD South Asia Private Limited, Bangalore R/o A-151, 2nd C Main Road, Sreeya Industrial Estate, II Stage, Bangalore-560058	14/S/PSSAI/2014	TC-6460	Y	Krishna Desai (Sr. Manager) 9938002890 krishna.desai@tuvindia.com; qa.india@tuvindia.com Panchika Ramaswamy (AVP) 7991060992 ramaswamy.panchika@tuvindia.com Project: Biskibiskun Project: Biskibiskun Project: Biskibiskun Project: Biskibiskun 7259101240	Mr. Rashed VG	28rd Aug 2027	Not Applicable	Not Applicable
140	TUV India Pvt. Limited (TUV-INDIA Group) [Laboratory Division], Bangalore No-8 Commercial, 2nd Floor, III- Main Road, Bell/Bangalore, 4th Block, Opp. KESIDC IT Park, Bangalore Industrial Estate, Bangalore-560044	48/S/PSSAI/2017	TC-7990	Y	LAVINA K FERNANDES (Manager, QA Biskibiskun) TNo: 086-46828 028 MNo: 9886828282 Email: lavina.f@tuv-india.com; Dr. M P Prasad, mpprasad@tuv-india.com, .099146158765	Ms. Nandini Manjunath; Yennasa Anjanappa	19th Oct, 2027	Not Applicable	Not Applicable
141	Virtus Labs Limited, 1st & 2nd Floor, #1047, Subash Plaza, 20th Main, 5th Block, West of Chord Road, Bell/Bangalore, Bangalore- 560010, Karnataka	62/N/PSSAI/2018	TC-6670	Y	Aparajita - Quality Manager Email: aparajita@virtuslabs.com MNo: 9191222625	Mr. Syed Mohammed Rasool	28th Dec, 2027	Not Applicable	Not Applicable
142	ALS Testing Services India Private Limited, Bangalore R/O:65, HUNMANSWALA JIGANI LINK ROAD Bangalore KARNATAKA INDIA	79/N/PSSAI/2021	TC-9617	Y	RAMASWAMY PAKTHIBAN 9071478084 Email: pakthiban.ramaswamy@alsglobal.com People Admin: poonjathib@alsglobal.com 9071211500	Mr. Sathik Moor Mohammod, Mr. Saravanan B	25th June, 2026	Not Applicable	Not Applicable
143	Burkin Analytical Services Pvt. Ltd, Bangalore, AB Square, #617, 5th Main, OMBR Layout, Basanti Rings Main Road, Basarawadi, Bangalore, Karnataka-560043	96/S/PSSAI/2021	TC-9653	Y	Kamathin B MNo: 8974637549 Email: kamathinb@burkin.com	Mr. Anubha Varayamada Babu, Mr. Subramaniam Koppert Mr. Shanmugas C Dr. Bharath MR	02nd July, 2027	Not Applicable	Not Applicable
144	Soaha Test House, Bangalore R/o B 28, 4th Cross, Maruthi Rings, Chandra Layout, Bangalore, Karnataka	79/S/PSSAI/2022	TC-8309	Y	Contact Person : Eegard T A 9944027167 Email : ta.anchatesh@soaha.com; soaha@soaha.com, koocon@soaha.com, anchateshg@soaha.com	-	26th Feb, 2026	Not Applicable	Not Applicable
145	Divisional Food Laboratory, Vasata Institute Campus, Tilakwadi, Belgavara, Bellary, Karnataka	81/S/PSSAI/2022	TC-11034	Y	Mr Abdul Hameed, 09446958071, dhalilg@rediffmail.com	As Notified by State Government: Mr Abdul Hameed	03rd Oct, 2026	Not Applicable	Not Applicable
146	Divisional Food Laboratory, Dusse Khayman Road, Tikal Rings, Mysuru, Karnataka- 576001	82/S/PSSAI/2022	TC-11032	Y	Mr Jagappa B, 09916604088, dussey@rediffmail.com	As Notified by State Government:	11th Sept, 2026	Not Applicable	Not Applicable
147	EMR Labs Services Pvt. Ltd, Bangalore R/o 37/6, 1st and 2nd Floor, TNTS, 1st Main Jayarajwadi Layout, Heggerehalli, Bangalore, Karnataka	84/S/PSSAI/2023	TC-8392	Y	Mrs. Sharada Miral, Phn: 9444410694, 9894609199, 9963158199, Email: sara@emrlabs.in, jali@emrlabs.in, idr-qa@emrlabs.in	Mrs. Jayashree Parthasarathi	13th March, 2027	Not Applicable	Not Applicable

Sl.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-PTSMI Integrated Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other	
							10th Sept, 2026	10th Sept, 2026	Not Applicable	
154	Robust Materials Technology Pvt. Ltd., Bangalore No. 94, 2nd Floor, Thiruvadis Complex, Nagaraballi Main Road, RTGP Layout, Nagaraballi, Bangalore-560072	21/S/PSSAI/2014	TC-6165	Y	Dr. K.R. Ravikiran (Director & CEO) Tel: 080-381396280, Fax: 080-331186210 Mobile: 9999213898 Email: info@robustmaterials.com, qa1@robustmaterials.com, robustmaterials@robustmaterials.com QA@ROBUSTMATERIALS.COM 9686695258	Mr. Karunakaran A. C	10th Sept, 2026	Not Applicable	Not Applicable	
155	Genash Consultancy & Analytical Services, Mysore No. 294/A, Hebbal Industrial Area, Mysore-570016	26/S/PSSAI/2016	TC-15192	Y	A.R. Subramanya (CEO) Tel: 0821-2402986, Fax: 0821-4282027 Mobile: 99944475436 Email: labgenash@gmail.com, info@genashlaboratory.com	Mr. Nagendra B.S.	31st May, 2027	Not Applicable	Not Applicable	
Kerala										
156	Report Inspection Agency, (Ministry of Commerce & Industry, Gov. of India) 37/1767A, Shyward Quarters Road, Ponnampally Nagar (South), Kochi-682086, Kerala	11/S/PSSAI/2014	TC-6164	Y	Mr. Shabir Ali E-Mail: ali_shabir@reportinspection.in; Telephone: 0484-2316945, 2316946, 2316949; Fax: 0484-2316948 Mobile No. 9933444773	Mr. Tejaswini Mahaveera Rao Dr. Rajan Kumar Mr. Anoop Singh Sengar	10th Sept, 2026	Not Applicable	Not Applicable	
157	Food Quality Monitoring Laboratory (FQML), Kerala Council for Food Research & Development Office, Perinjilal P.O., Kottai, Ponnambathra District, Kerala-689592	57/S/PSSAI/2018	TC-14288	N	Ms. Grace Baby (Chief Analyst) Mobile: 9747408048 Email: graceb@food.gov.in	Ms. Grace Baby	18th Aug, 2026	Not Applicable	Not Applicable	
158	Insorbil Laboratories, Kochi 13/1308 - A, Bhargyapada House, Karamshetty, Kochi - 682005, Kerala	4/S/PSSAI/2014	TC-6338	Y	Gita P.S.Pad, Tel: 0484-2210916 Mobile: -918547288180, 9167488179 Email: gita.p@insorbil.com, insorbil.in	Dr. Gita P.S. Ms. Anu Antony, Mr. Anandhi Bani Ms. Anjana Kulkarni Mr. Sanni Kumar K. S. Ms. Elanith Thomas Ms. Parvathi Y. S.	20th Oct, 2026	Not Applicable	Not Applicable	
159	CEPS Laboratory & Research Institute, Kollam Cachew Bypass, Munnakkal, Kollam-691001	34/S/PSSAI/2016	TC-11002	N	Ms. Banamma M. BOD - Chemistry, Mobile: 9526770702 Email: ceplab@ceplabresearch.in, m.banamma@ceplabresearch.in	As Notified by State Government Smt. Prithvika S Smt. Pushmi K.L.	28th June, 2029	Not Applicable	Not Applicable	
160	Govt. Analyst's Laboratory, Thiruvananthapuram Red Cross Road, Vanchiyoor P.O., Thiruvananthapuram - 695006, Kerala	59/S/PSSAI/2017	TC-6455	Y	Mrs. Nandini KA (Chief Government Analyst) Tel: 04971-3472192 Mobile: 99498 46180 Email: gaitn@analyst.gov.in	As Notified by State Government Smt. Rajanand.T, Smt. Nandini K.A Smt. Prithvika S Smt. Pushmi K.L.	Not Applicable	Not Applicable	Not Applicable	
161	Regional Analytical Laboratory, Ernakulam Kathiraiyil, Ernakulam - 680030, Kerala	54/S/PSSAI/2017	TC-6798	Y	Mrs. Baby Mathew (Government Analyst) Tel: 0484-2422218 Mobile: 7993000398, Email: Regionalanalyticallabernakulam@gmail.com	As Notified by State Government Smt. Baby Mathew, Smt. Praveen Parthasarathy, Smt. Thara K.	22nd Nov, 2027	Not Applicable	Not Applicable	
162	Regional Analytical Laboratory, Kochi Malamparamba, Kochi District, Kerala - 670009	56/S/PSSAI/2017	TC-6666	Y	Smt. Anilkumar T. (Deputy Government Analyst) Tel: 0495-2371101, Mobile: 7993000271, 9449573717 Email: analabkochi@gmail.com	As Notified by State Government Smt. Anilkumar T Smt. Sridhar S, Smt. Lalitha	07th May, 2026	Not Applicable	Not Applicable	

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-PMSPAI Integrated Accredited Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
163	State Laboratory for Livestock, Marine & Agri. Product (SLMAP), Srirangulam, Maradu, Wetina P.O., Srirangulam, Kerala.	64/S/PMSPAI/2010	TC-6091	N	Dr P S Shanmugan, Assistant Livestock Products Inspecting Officer Email: shanp.sab@kerala.gov.in, shanp.sab@kerala.gov.in Ph: 9447995903	...	10th Mar, 2029	Not Applicable	Not Applicable
164	The Marine Products Export Development Authority, Quality Control Laboratory, 5th Floor, MPEDA House, Panampilly Nagar, Kochi, Kerala.	69/S/PMSPAI/2010	TC-3117	Y	Mr. Mahang U, Deputy Director E-mail: mah.u@mpeda.gov.in/mauhang@mpeda.gov.in Tel.No: +91-484-3311039/3315199 Mob: 9881911899	...	8th Oct, 2027	Not Applicable	Not Applicable
165	Consultation for Apurville Bioassurance Kurulum Ltd, KUNPIA, Essel Industries Park, Rabsha Road, Koratty - 680 309, Thiruvananthapuram, Kerala.	42/S/PMSPAI/2016	TC-4591	N	Mr. Basil ; 09895654977 E-mail: basil@curriculum.com, basil@curriculum.com	...	28th Sept 2026	Not Applicable	Not Applicable
166	Accurate Analytic (General Purpose Laboratory), Sachin Rikherlal Road, Theyyampally, Cochin - 682065	56/S/PMSPAI/2010	TC-9496	N	Smt. A. Naveenitha Krishnan (Lab Manager) Mobile: 9249298998, 9249444406 Ph: 0484-2237848 Email: accurateanalytic@yahoo.com A Naveenitha Krishnan accurateanalytic@yahoo.com.in 9249293998	Ms. Rejy T George Ms. Ganita Catherine Peter Ms. Eeshaana PS	03rd May, 2029	Not Applicable	Not Applicable
167	Gen-Clean, Laboratories Pvt. Ltd., Arava Anjan Commercial Complex, Upp. Marcy School, Arava-686637.	46/S/PMSPAI/2017	TC-11621	Y	Ms. Beena Tiliak (Laboratory Manager), Tel: 0478-2800001, 2800803, Contact No: 9895182741 Authorized Person Mobile No: 9895182741 Mobile No: 9895182741 Email: beena.t@gen-clean.net.in, beena.t@gen-clean.net.in, alicia.cook@gen-clean.net.in	Mr. Jithin C.R. Mrs. Eesha P.N	30th July, 2027	Not Applicable	Not Applicable
168	FQ Lab and Research Centre Private Limited, Cochin 05-10 & 31, 11th Floor, GIDA Complex, Marlow Drive, Srirangulam, Kochi, Kerala- 6820310	29/S/PMSPAI/2016	TC-6259	Y	Mr. O. Rajaguru (Op. Chief Executive) Tel: 0484-4926696, Ph: 0484-2860499 Mobile: 9895056411 Email: oco@fqlab.com ; ajobhina@genil.com ; ayyan.poo95@gmail.com Dr. BARY (ACC) ayyan.poo95@gmail.com 9895056410	Mr. Vishnu Das Mrs. Smita Biju	06th Sept, 2027	Not Applicable	Not Applicable
169	SDS Green Labs India Private Limited, Charthala Taluk, 436-H, U.J.E.L.M, Ward No. 1A, Panampattanam, Punalai Mothi Kappalmaru Highway, Elappay Tyre Works, Arava, Kerala	93/S/PMSPAI/2025	TC-19610	Y	Mr. D Balakrishnan gen_lab_74@yahoo.com/genlab74@manager.genlab74.com mobile: 9894785844	Mr. Karthik S	91st March, 2027	Not Applicable	Not Applicable

SLNO	Name and Address of the Laboratory	Registration Number	MARL Certificate Number	MARL-PTSMI Integrated Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other	
170	Testing and Analysis Laboratory, Environmental Technology Division, CSIR-National Institute for Interdisciplinary Science and Technology (CSIR-NIIST), Industrial Estate P. O., Triruvananthapuram, Kerala	94/N/PSSAI/2025	TC-14725	Y	Dr Abdul Halim, CSIR-National Institute for Interdisciplinary Science and Technology (CSIR-NIIST), abdulhalim.official@nicr.res.in Mobile: 9526542242	...	17th Oct, 2026	Not Applicable	Not Applicable	
171	RIDIB GALS LTD, 497/A/UA, Balayally, Koodu, Kerala	95/N/PSSAI/2026	TC16717	Y	P Rashid Kumar, Ph: 6357934225; Email: prashid@ridibgals.com, rashed@ridibgals.com	Mr. Vinod Kumar P	05th Sep, 2027	Not Applicable	Not Applicable	
Tamil Nadu										
172	ABC Techno Labs India Private Limited, Chennai ABC Tower, Eo, 400, 10th Street, SIDCO Industrial Estate, North Phase, Ambattur, Chennai-600082	48/N/PSSAI/2018	TC-5770	Y	Mr. G. Murgesh, Chairman & Managing Director Mobile: 995660 55555 Mail: murgesh@abctechnolabs.com, quality@abctechnolabs.com Disputed 5 Contact No: 9600412908 E-Mail ID: murgesh@abctechnolabs.com	Mr. S. Karanamirthi	10th Apr, 2026	Not Applicable	Not Applicable	
173	Chemical Metrics Lab Private Limited, Chennai Jodi Complex, PO 88, MCKM Road, Guindy, Chennai-600082	38 /N/PSSAI/2016	TC-5589	Y	Mr. V.K.Selvakumar (Director - Technical) Tel: 944-23223163, 43179490 / 91 Fax: + 91 44 23311034 Mobile: 93941079949 E-Mail: test@metlab.com, vin@metlab.com	Dr. D. Sachya Narayanan Mr. S. Thyagarajan Mr. Elumathala, Mr. S. Srinivasan, Mr. V. Vidyal	15th June, 2026	Not Applicable	Not Applicable	
174	Export Inspection Agency, Chennai 6th Floor CHDA Tower II, No.1 Gandhi Evana Road, Egmore, Chennai - 600008	17/N/PSSAI/2014	TC-9030	Y	PAFFI KANWASHI, Asst. Deputy Director Tel: 044-26552041/42, Fax: 044-265504350 Mobile: +91-9816168446, Mobile No: 9799730827 Email: oie-chennai@oieindia.gov.in, Sachin Shukla Contact No: 8451812688	Dr. Prabesh Chandra Bopanna Subhadra De Mandam Tapob	30th March, 2026	Not Applicable	Not Applicable	
175	M/s. Global Lab and Consultancy Services LLP, Tamil Nadu ET, No. 92/3/3A, Guedin Nagar, Alagappanagar Pudur, Sakara, Tirupur, Tamil Nadu	58/N/PSSAI/2018	TC-6060	Y	Mr. H. Suresh Kumar (COO & Partner) Tel: 0427-2970 989, Mobile 07094452626 Email: hsk@global, hsk@globallab	Mr. Narayanan. S Mr. Sachin Kumar. A	31st July, 2026	Not Applicable	Not Applicable	
176	Interstellar Testing Centre Private Limited, Chennai Plot No. 2, Site No. 12/2A, Industrial Estate, Perungudi, Guddalur Taluk, Chennai-600094, Tamil Nadu	69/N/PSSAI/2018	TC-15730	Y	Mr. Kamal Grover, Lab Head 9809990919 Email ID : kamalgrover@icobis.com	Dr. Pradeepran Vaidyal	19th July, 2026	Not Applicable	Not Applicable	

S.No	Name and Address of the Laboratory	Registration Number	MARR Certificate Number	MARR-PTSMI Integrated Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
177	Messiah Research Private Limited, 37-A, RD-33 Industrial Estate, Thiruvananthapuram, Chennai - 600 134, Tamil Nadu	39/S/PSSAI/2016	TC-5206	Y	Mr.A.M Shiva Kumarbick, (Managing Director), Mobile: 99176640172 / 09176640177 Tel: 044-36910052 / 34352756 E-Mail: messiahlab@gmail.com Sri .Ayuda Malliarajan Contact.No.: 9849078198	Mr. Prashanth Prasadreddy (99176640172) Mrs. Nithya Dhyananthy, Mr. T. Raman	12th June, 2026	12th June, 2026	Not-Applicable
178	SGS India Private Limited, MARR Laboratory, Chennai Opposite to Sanku Bank of India, 28 B/1 (8F), 28 B/2 (3F), Second Main Road, Ambetter Industrial Estate, Chennai-600058.	1/S/PSSAI/2014	TC-5006	Y	Mr. Suresh Kumar V., Email ID: V.Pkumar@sgs.com Mobile No.: 9790925994	Mr. David Antony Mr. Rajyaparammal. M	19th Nov, 2027	19th Nov, 2027	Not-Applicable
179	EMS Labs Services Private Limited, Chennai No. 39/S, Thiruvallur High Road, Paludanuram Post, Thiruvallur District, Tamil Nadu, India - 600124	2/S/PSSAI/2014	TC-6118	Y	Mrs. Saradha Maril (Director) Tel: 04426811662, 04426811664, Fax: 044-26811665 Mobile: 99623 18199, 9444418694 Email: saradha@ems-labs.com, saradha@ems-labs.com	Dr. Thulasi Raman Krishnan, Mr. S. Balaji Mr. Anuragm. S Mr. R. Rajesh Mrs. Bhavani. B	06th Sept, 2026	06th Sept, 2026	06th Sept, 2026 (Mechanical)
180	Food Analysis Laboratory, Madurai, Tamil Nadu, Dr. Thangavel Sanki, Poor Hanna Campus, Madurai-625020	72/S/PSSAI/2021	TC-9606	Y	S. Suresh, M.Sc. 9948089699 suresh@gmail.com	As Notified by State Government:	15th June, 2027	Not-Applicable	Not-Applicable
181	Food Analysis Laboratory, Chembaram, 219, Race Course Road, Chembaram, Tamil Nadu- 641011	77/S/PSSAI/2021	TC-9796	Y	Mrs. K.Sudhar Mob No.: 97909-41924 Email: s.sudhar@gmail.com	Mrs. K.Sudhar	22nd Aug, 2027	Not-Applicable	Not-Applicable
182	Food Analysis Laboratory, Sikkal 953, Marudayar Nagar Colony, Sikkal, Tamil Nadu-636014	78/S/PSSAI/2021	TC-9788	Y	S.Karunanithi Mob No. 9445209184, Email: foodlabtest@gmail.com	As Notified by State Government; Thiru.S.Karunanithi	22nd Aug, 2027	Not-Applicable	Not-Applicable
183	Food Analysis Laboratory, Thangajar, Mambalam Medical College Road, Thangajar, Tamil Nadu-613001	75/S/PSSAI/2021	TC-9796	Y	M. Suresh Kumar Email: sureshlab@gmail.com Contact No.: 9786655500	As Notified by State Government:	10th Aug, 2027	Not-Applicable	Not-Applicable
184	Food Analysis Laboratory, Palayamkottai, Tamil Nadu, No. 5, Old Palayam Hospital Road, Palayamkottai, Tirunelveli- 627003	74/S/PSSAI/2021	TC-9644	Y	S. Alon, 94421 80268 palayamkottai@gmail.com	As Notified by State Government:	27th June, 2027	Not-Applicable	Not-Applicable

S.No	Name and Address of the Laboratory	Registration Number	MAAB Certificate Number	MAAB-PTSMI Integrated Assessment Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
185	Vertical Food Laboratory/Chemist (In PPP with MCD) 2nd floor north wing in 3rd floor, Central Documentation complex, Chennai Port Trust Building, Rajiv Gandhi Centre for Science, Chennai, Tamil Nadu.	80/S/PSSAI/2022	TC-11071	Y	Dr. Suresh Jeeva, Director (NPL-Chennai), Email : sureshjeeva@tnport.gov.in ; Mob No:9408440944.	Mr. Sundarapandian, Mr. Jayashanker V	28th Oct, 2026	Not Applicable	Not Applicable
186	Analytical Technology Laboratory Sri Gemini Text Chem Private Limited, 1/98, Mylapore Post, Coimbatore, Tamil Nadu.	85/S/PSSAI/2023	TC-7841	Y	Mr. S. Thyagarajan; Email: Thyagarajan@textchem.in; Phone: 9500995001.	Ms. Meenakshi Meen	30th Mar, 2027	Not Applicable	Not Applicable
187	ES&S Analytical Laboratories India Pvt. Ltd., House Plot No. 98-A1, 100 & 109, New SIDCO Industrial Estate, Sri Nagar, Kothamangalam, Tamil Nadu.	90/S/PSSAI/2024	TC-13996	Y	Mr. D. Balakrishnan (Technical Manager) Tel: 04344- 329718, Mobile: 9894786941 Email: green_delta@yahoo.com , esandl@esandl.com	Mr. P. S. Dasan Mr. Balakrishnan	30th April, 2026	Not Applicable	(Membership) 30th April, 2026
188	Chemical Testing Laboratory Private Limited, Chennai A-Super 19, T.V.A. Industrial Estate, Guindy, Chennai- 600 032, Tamil Nadu.	44/S/PSSAI/2017	TC-14314	Y	Mr. TGR Ashok Kumar (Managing Director) Phone: 844-22801757; Mobile: 9841748130; Email: chennaitestinglab@gmail.com N MA/2006/MA/0048 Contact No: 9841748177 Email: quality@chennaitestinglab.com	Mr. N. Rajendrakumar	18th Aug, 2026	Not Applicable	Not Applicable
189	The South India Textile Research Association, Coimbatore 13/87, Aravind Road, Coimbatore, Tamil Nadu.	92/S/PSSAI/2024	TC-8944	Y	Dr. Prabha Vasudevan- Director, S. Srinivasan, Quality Manager, 91942907924, srinivasan@stira.org.in , tel no: 0422-43215317, Mob no. 09913442760	Ms. Sreedhya C Nair	25th March, 2026	Not Applicable	Not Applicable
190	Food Analysis Laboratory, Guindy Office of the government Analyst, Chennai Guindy, Tamil Nadu-600032.	71/S/PSSAI/2021	TC-9327	Y	M BEELA Mob No. : 9884376168 Email : mbeela@gmail.com	As Notified by State Government.	15th March, 2027	Not Applicable	Not Applicable
191	MAATS India Pvt. Ltd (Laboratory Services Division), Chennai, No. 1A, 1B, Perambal Road Borew, Perambalur, Chennai-600107	87/S/PSSAI/2016	TC-5859	Y	Dr. V. Sarathkumar, Designation: Laboratory Manager, Telephone Number: 844-24794010, Mobile Number: 09500073929 Email: labmanager@maatgroup.com ; Mrs. V. Sriprya, Designation: Director Telephone Number: 044-24794010 Mob: 09840995622 Mail Id: lab.mysr@maatgroup.com .	Dr. Sarathkumar Mrs. R. Sriprya Ms. Bharathi Marekumar	10th Sep, 2027	Not Applicable	Not Applicable
192	Hubert Boreiro Care Systems Private Limited, Guindy, Chennai A-21, III Floor, Thiru Vi Ka Industrial Estate, Guindy, Chennai, Tamil Nadu.	88/S/PSSAI/2024	TC-13510	Y	Dr. Rajkumar Suresh jeeva@hbsc.in; Mr. Anurag D, Deputy Quality Manager MB HQ-9884528124	Mr. Manojkumar E, Ms. Jisha Prabha	24th Oct, 2027	Not Applicable	Not Applicable

Sl.No	Name and Address of the Laboratory	Registration Number	MARR Certificate Number	MARR-PTSMI Integrated Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
							Zaid Nov, 2027	Zaid Nov, 2027	Zaid Nov, 2027
193	Bureau Veritas (India) Pvt. Ltd., P2, Thiru-Vishu Industrial estate, Phase III, Elakurambangal, Guindy, Chennai-600032	67/S/PTSMI/2019	TC-8057	Y	Mr. Jithin Chaturghally, National Lab Quality Manager Mob: 9600090764 Mr. M.V. Haridendra Prasad haridendra@bvt.com Dr. S.G. Chinnamiah (Director-Technical) Tel: 044-45518909, 26168109, Fax: 044-46162309, Mobi: 09840604698 E-mail: jithin@bvt.com, gauravprasad@bvt.com, S.Jewellac, Contact: 069599881948 E-mail: (M) jeevalac@bvt.com	Mr. Suresh B, Ms. Sharmila M	Zaid Nov, 2027	Not Applicable	Zaid Nov, 2027
194	Scientific Food Testing Services Private Limited, Chennai S No 25/D No 8/8, Vellalar Street, Appambakkam, Chennai - 600094, Tamil Nadu	42/S/PTSMI/2016	TC-9951	Y	Ms. Anitha S.K Mr. S.Jeevar Ms. B. Rohini Mr. Kishore		08th Oct, 2027	Not Applicable	Not Applicable
195	VIS Physicoanalytical Services Private Limited (Food Testing Laboratory) 47/94A, C.G.E. Colony, 5th Street, Tondiarpet, Tamil Nadu	96/S/PTSMI/2026	TC-19970	Y	Mr. Vincent; P/c 979017965; Email: vincent@vjphysicoanalytical.com	Mr. Anitha B Mr. Paramasivan V	11th July, 2027	Not Applicable	Not Applicable
Telangana									
196	First Source Laboratory Solutions LLP Analytical Services, Hyderabad Plot No. A1/R, DA Madhura, Cross Road, Hyderabad - 500076, Telangana	3/S/PTSMI/2024	TC-4745	Y	Saifnagar Yadlagiri (Vice President) Tel: 040-27174037, 5121168611, Contact No.: 7880019040, Mobile No: 7597160006 Email: saifnagar@firstsource.com	Mr. Sarwada Babu Paras	23rd Feb, 2026	Not Applicable	Not Applicable
197	Inorbita India Private Limited (Food Services), Hyderabad Plot no D-57, DA, Phase-1, Jeedimetla, Hyderabad-500055, Telangana	88/S/PTSMI/2016	TC-5160	Y	Mr. Rav Kumar GV Technical Manager Tel: +91 949 42015298, Ext- 444 Mobile: 9506226645 Email: ravkumar.gv@inorbita.com Mr. Ganesh Krishnaiah Quality Manager Tel: +91 949 42015298, Ext- 117 Mobile: 9912469921 Email: ganesh.krishnaiah@inorbita.com	G Srida Kumar, Mr. Tharun Babu	08th Mar, 2026	Not Applicable	Not Applicable
198	Stara Food Laboratory, Hyderabad No.100, Manikbani Road, Opp. Jaijaya Estate, Hyderabad, Telangana- 500076	61/S/PTSMI/2018	TC-6430	Y	Dr. K. Shamba (Director) Mobile: 9849905227, 9154812663 Email: chandrasu@gmail.com, dir@stara.com, G Laxmi Narayana Reddy, 9492398201, Email ID: stffoodlab@gmail.com	As Notified by State Government:	27th Jan, 2027	Not Applicable	Not Applicable
199	Vishu Labs Limited, Hyderabad Plot No.5, Alankonda Knowledge Park, Ganesa Valley, Shamshpet, Hyderabad -500078, Telangana	13/S/PTSMI/2014	TC-5418	Y	Agave Surran - Quality Manager Email: agave.surran@vishulabs.com Mobile: 91801212625; Dr. Mani Prasad Pooda, General Manager, Mob No: 9121093982 manipooda@vishulabs.com	Mr. Jagadeesh Kodali Ms. Anjali S Kurian, Dr. Jitaji Bageswara Prasad P	30th Mar, 2026	Not Applicable	30th Mar, 2026

S.No	Name and Address of the Laboratory	Registration Number	MARR Certificate Number	MARR-PSMAI Integrated Accredited Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
200	TENTAMES INDIA PRIVATE LIMITED 68-51/9A, Plot No.58/Part-B, Nos. 123,124,125 A142, Kompally, Hyderabad-506 814	88/S/PSMAI/2816	TC-11468	Y	P. Srivastava Bas (Sr. Vice President- Operations) Contact: No.-+91 99492 92022, +91 40 23452727 Email ID- p.srivastava@tentames.com	Mr. A. Anil Kumar, Mr. Harish Nandhuk	25th June, 2027	25th June, 2027	Not Applicable
201	Analytical Testing Laboratory, Practical Institute of Pharmaceutical Education and Research, Hyderabad Balmajer, Hyderabad, Medchal Malkajgiri, Telangana	91/S/PSMAI/2824	TC-12081	Y	Dr. Anil Achanna- Registrar, Dr. Anil Munawar, anul@anilachanna@aipeprg.ac.in, 040- 23874750, 0991657266	Perilla Manasa Reddy	22nd Aug, 2027	Not Applicable	Not Applicable
202	Vision Labs, Hyderabad B.R.No. 16-11-33/87/A, 2nd Floor, Opp. R.T.A Office, Minnaramnagha, Malikpet, Hyderabad - 500086, Telangana	59/S/PSMAI/2818	TC-5064	N	Mr. T. LaxmiNaray Reddy Mobile: 9949110019, 9440841336 Tel: 040-24544200, 657991001 Email: vision.labs@gmail.com, info@visionlabs.com, vip@visionlabs.com	-	25th Feb, 2026	25th Feb, 2026	Not Applicable
203	Charmee Labs India Private Limited, Hyderabad 2nd Floor, Plot No. 17 & 23, Tech Park Road, Road No. 12, Hyderabad, Medchal Malkajgiri, Telangana	86/S/PSMAI/2823	TC-11554	Y	REVA Prasad Designation: General Manager-Operations Contact: No.: 7997997954 Tada phone No.: 040-27171666	Mr. Ankita Krishna Venkatesh Ramo Prasad	15th April, 2027	15th April, 2027	Not Applicable
204	Care Labs, Hyderabad Plot No. 1, 3rd Floor, Sai Seeda Complex, Sree Gauga Colony, LB Rang, Hyderabad, Telangana	49/S/PSMAI/2817	TC-8067	N	Mr. Ravindra Reddy, A (Managing Director) Tel: 040-24088820 Mobile: +91 9854865228 Email: srinidhi@gmail.com, mail@carelabs@gmail.com, Sruvati Bangla Contact No.: 9885333368 Email ID: mail@carelabs@gmail.com	-	10th Dec, 2029	10th Dec, 2029	Not Applicable
205	Advantech Products Testing and Certification Laboratory (P- TC) (ICAR-National Meat Research Institute (ICAR-NMRI), Changicherla, Hyderabad, Medchal Malkajgiri, Telangana	97/S/PSMAI/2828	TC-12542	Y	Dr. S.B Barimalla; Ph. 9447779717; Email: director.amr@icarngri.in	Dr. Vishnuvardh M B	02nd Sep, 2026	02nd Sep, 2026	Not Applicable
D. BASTYANS SUBDOSH									
Accredited Provider, Wildlife, Aquaculture and Fishes Laboratory		NA							
Annex									
206	State Public Health Laboratory, Banamal Malika, Guntur, Andhra	14/S/PSMAI/2020	TC-10945	Y	Mr. Anupam Gopal Mobile: 8472862511, 9894029925 Email: gopal.anu@spahlabssm.gov	As Notified by State Government	19th July, 2026	Not Applicable	Not Applicable

S.No	Name and Address of the Laboratory	Registration Number	MARR Certificate Number	MARR-PMMAI Integrated Accredited Certification of Accreditation (Y/N)	Contract Purpose Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
207	National Test House (NTH), Gowdard Ch: Changanur, Madhavur, Gowdard, Kanyakumra, Assam	27/09/PMMAI/2024	TC-8294	Y	Mr. S. Murali, Scientist (Incharge, address- 040909.in, ssmuralthiruvallu@gmail.com, Tel.No. 09161-2471988, 094444336115	Mr. M.D. Basirul Islam	28th Feb, 2026	28th Feb, 2026	Not Applicable
208	TLARS, Tea Research Association, Tea Unit Tea Research Institute, Tea Unit Experimental Station, Jorhat, Assam	30/09/PMMAI/2025	TC-5587	Y	Dr. Bhabita Pal, Analytical Services Department t.pal@tcal.ac.in Mobile: 9434472692		05th Feb, 2027	Not Applicable	Not Applicable
209	National Food Laboratory, Kolkata (Divisional Centre Baruati, Chhargam (East) Barua Moha, Barua, Bihur, India	25/09/PMMAI/2022	TC-11038	Y	Sd. Mohamad Daryar Mobile: 9436615510 Email: chl.rossal@gmail.com	Sd. Mohamad Daryar	03rd Oct, 2026	Not Applicable	Not Applicable
210	Combined Food and Drug Laboratory, Patna Agarwalnagar, PO Subarnahigh, Patna, Bihar - 800097	26/09/PMMAI/2022	TC-10762	Y	Sdri. Mohanada Prasad Singh Mobile: +91 9430808897 Email: rajprasad19@gmail.com	As Notified by State Government	27th June, 2026	Not Applicable	Not Applicable
211	Quadrine Test House Private Limited, Patna 123-C, Anand, Road No. 6A, Patna, Bihar	20/09/PMMAI/2025	TC-14251	Y	Mr. Pradyumn Prasad (COO), Mobile 9676996249, Email: sdgpatna7@yahoo.co.in, dprad@bhavnarbhavn.com, coo@bhavnarbhavn.com	Ms. Parul Das Senior Executive Bhuba	08th Aug, 2026	08th Aug, 2026	Not Applicable
212	Southern International Laboratories Private Limited Pvt No. 105, Rajapur Ind. Area, Bilgaon, Patna-1, Bihar	22/09/PMMAI/2026	TC-16198	Y	Mr. Satyajeet Singh, Ph: 9031051622; Email: quality@si-lab.com/bihar/bhuba	Ms. Swabhi Fadoo	04th June, 2027	04th June, 2027	Not Applicable
Barhampur									
213	Sun Tech, Barhampur 40-3, Taprasana Industrial Area, Tupadonia, Barha, Barha, Barhampur - 824003	7/09/PMMAI/2017	TC-6482	Y	Ms. P. Pradi Varma Mobile: +91 9904742696, +91 7808266661 Email: sun-tech-lab@gmail.com	Ms. Pradi Varma	30th March, 2026	30th March, 2026	Not Applicable
214	Sate Food Testing Laboratory, Mambura, Barha Mambura, Barha, Jorhatind - 824016	24/09/PMMAI/2022	TC-15483	N	Contact Person: CEATUORHIND MUMBA Tel No.: 9836444913 Email: chaturindmumbura@gmail.com	As Notified by State Government	11th Feb, 2029	Not Applicable	Not Applicable
Chattogram									
215	Sate Food Testing Laboratory, Barpur, Food & Drug Administration, Kulabdi, Barpur, Chattogram- 492001	17/09/PMMAI/2021	TC-9664	Y	AKHILABE SENUYASTARA 8819068785 skhilaq@gmail.com skhilaq716@gmail.com, skhilartha@gmail.com	As Notified by State Government	04th July, 2027	Not Applicable	Not Applicable
Dalhousie									
216	Sate Food Testing Laboratory, Dalhousie Common Square, Kharsal Nigra, Dalhousie - 751001, Odisha	18/09/PMMAI/2022	TC-12644	N	Dr. Runanda Saha 9437292199; Pottogubana Mohapatra- 9439555704 erantpoh1956@gmail.com	As Notified by State Government	23th Nov, 2027	23th Nov, 2027	Not Applicable
Madhavur									
217	Sate Public Health Laboratory, Madhavur BBD Wing Complex, Medical District, Lumphai, hospital West, Madhavur - 729004, Madhavur	21/09/PMMAI/2022	TC-18785	N	Sdri. Chhangbam Sanjaya Mishra srbhambam@gmail.com, sanajha1568@gmail.com, 9485267753	As Notified by State Government	28th May, 2026	Not Applicable	Not Applicable
Meghalaya									

S.No	Name and Address of the Laboratory	Registration Number	NABL Certificate Number	NABL-PTSMI Integrated Accredited Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
218	State Food Testing Laboratory, Shillong Directorates of Health and Services (Research etc.), Partner Institute, East Khasi Hills, Shillong - 793001, Meghalaya	19/18/PTSMI/2022	TC-135109	N	Dr. Wadandia Lyngdoh, Technical Manager, 0864-2590169 9436709031 wladia@rediffmail.com Bosetta Mary Kurboh Contact No: 9863310344 Email: wladia@rediffmail.com	As Notified by State Government	Not Applicable	17th Feb, 2026	Not Applicable
219	State Public Health Laboratory, Meghaland Paramedical College, Kohima, Nagaland, India	16/18/PTSMI/2021	TC-16790	Y	KERUNUTOLAJ YRSWDE Mob: 9436001608 Email: kerunotolaj@rediffmail.com Soyichurkha Kaho Contact No: 9089067255, Email: kaho@rediffmail.com	As Notified by State Government	16th Sept, 2027	Not Applicable	Not Applicable
Tripura									
220	Regional Food Laboratory, Tripura Pancha Kedru Office Complex, Guruhabast, Agartala, West Tripura, Tripura - 791016	22/18/PTSMI/2022	TC-10234	N	Sri. Santanu Bhawan Senior Chemist & I/C sbl121jpr@rediffmail.com, 9612259926 santanu.foodlaboratory@gmail.com 9436948776	As Notified by State Government- Sri. Santanu Bhawan	16th Feb, 2026	Not Applicable	Not Applicable
221	Food Testing Laboratory, Agartala Food Park, 2nd Jangmagar, Agartala, Tripura - 791008	9/18/PTSMI/2018	TC-5959	N	Dr. Kananmayee Nath, Public Analyst Mobile: 99434458179 Email: klnath@rediffmail.com	As Notified by State Government	05th March, 2026	Not Applicable	Not Applicable
West Bengal									
222	West Bengal Public Health Laboratory, 2, Convent Lane, Kolkata, West Bengal	11/18/PTSMI/2019	TC-13848	Y	Food Analyst West Bengal E-mail: foodanalystwb@gmail.com Phone: 98128299225 Mobile: 9891699496 Dr. Rudranath Mondal 94368195570 dmondal5974@gmail.com	As Notified by State Government	08 June, 2026	08 June, 2026	Not Applicable
223	Elwara Food Research and Analysis Centre Limited, Kolkata Subhas Nagar, Baruah, P.O. Rajpara Bazar, Kolkata - 700121	4/18/PTSMI/2014	TC-5817	Y	Dr. Babindar Bhowa (CEO) Tel: 033-7112280, Fax: 033-7112281 Email: ceo@elwara.org regulatoryaffairs@elwara.org	Mr. Dipak Prasadik	28th April, 2026	23rd April, 2026 (Mechanical)	Not Applicable
224	Public Health Research, Tripura Research Association, Kolkata (TARA, Tripura Research Association) 113, Park Street, 9th Floor, Kolkata-700016, West Bengal.	10/18/PTSMI/2019	TC-4281	Y	Mr. Joydip Fuchs, Secretary, Tara Research Association, Dr. Bagnathya Basu (8777707121) Contact No: 033-23391815 9831093713, 9473463480, 9903087769 E-mail: secretary@tara.net tara@tara.net	Mr. Anish Das	12th May, 2026	Not Applicable	Not Applicable
225	National Food Laboratory, Kolkata, 3, Koy Street, Kolkata, West Bengal	13/18/PTSMI/2020	TC-6584	Y	Dr. Santanuj, Email Id: nfl- kol@nfl.gov.in, govindjallab@nfl.gov.in; Mob No : 9432669345.	Mr. Chandan K. Mr. Debajit Mishra Mr. Ligen Das Mr. Abhishek Ray Email: nfl@nfl.gov.in Mr. N Bori Chandana Mr. Jayant Kumar	17th Jun, 2027	17th Jun, 2027	Not Applicable
226	Central Laboratory (Food), Kolkata Municipal Laboratory, Kolkata Municipal Corporation, T.A. Egg Street, Kolkata 700067, West Bengal	15/18/PTSMI/2021	TC-11937	N	Sarmistha Mahapatra Mob No : 9830137201 Email : foodanalystkcol@gmail.com	As Notified by State Government	17th July, 2029	Not Applicable	Not Applicable

Sl.No	Name and Address of the Laboratory	Registration Number	MARL Certificate Number	MARL-PTSMI Integrated Assessment Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Radiological	Validity Other
Z27	Export Inspection Agency - Kolkata Laboratory (Ministry of Commerce & Industries, Govt of India) 101, Seaboard Chambers, 1562, Baidyanga Main Road, Kolkata-700187, West Bengal	2/18/PTSMI/2014	TC-9428	Y	Mr. Soumen Das Assistant Director (Tech.) Tel: 033-24410669/92701 Mobile No. 9790790827 Email: eia_soumen1@nicetech.in	Mr. Soumen Das Dr. B. Biju Kumar Mr. Anukul Das Dr. Rajan Kumar	14th July, 2027	14th July, 2027	Not Applicable	Not Applicable
Z28	M.D. International, 17, Jnan Chandra Street, 147B, Block-V, New Alipore, Kolkata, West Bengal.	26/18/PTSMI/2003	TC-15617	N	Mr. Sanjay Patra, Quality Manager, Ph. No. 9433106647, email:patrasanjay@mdil.in, admin@mdil@gmail.com	---	06th June, 2026	06th June, 2026	Not Applicable	Not Applicable
Z29	Open House Laboratory Services, 261, Prantik Pathy, 45/761, Bongaquer Road, Kolkata, West Bengal.	29/18/PTSMI/2005	TC-6271	Y	SUTAPA DEBOWAL suta@quadserv.com/ quadserv@gmail.com Telephone No. 99680093976 Mobile No.9831287086	Dr. Rupam Bhattacharya	29th Oct, 2026	23rd Oct, 2026	Not Applicable	Not Applicable
Z30	Quality Control Laboratory, Tea Board of India, Siliguri, Tea Park, Block Maria, P.O. Sahadanga Hat, Siliguri-735135, West Bengal	12/18/PTSMI/2019	TC-6002	Y	Dr. Anurupa Basu Majumdar, In-Charge, QCI, E-mail: anurupa@quadserv.com quadserv@gmail.com Tel. No. : 0353-2960394, 9875449805	Ms. Binayika Bhattacharyya	6th Nov, 2027	6th Nov, 2027	Not Applicable	Not Applicable
Z31	Surata Analytical Services Private Limited, 1st Floor, Surata BLDG-5A, 5B Block, Kolkata, West Bengal.	31/18/PTSMI/2005	TC-13944	Y	Dr. Bappa Ghosh Ghoshbappa@surataan.com Head - Lab Operations Mobile : +91-9864978062	Ms. Moumita Ghosh	25th May, 2026	Not Applicable	Not Applicable	Not Applicable
Z32	SES India Private Limited, Kolkata CS Post-51247, Hooghly Road, D.H. Road, Joka, Kolkata-700164	1/18/PTSMI/2014	TC-7047	N	Anurupa Palanishi (QCI) Phone: +9188 6992150940 Mobile: +9172089013645 Fax: +9133 24881022 E-mail: anurupa.palanishi@ses.com Smt. Majumdar Contact No.: 9231774938 Mobile No.: 9831026383 Surata Maxima Contact No: 9830990790 E-Mail ID: anurupa@ses.com	Mr. Soumit Das	27th Nov, 2029	27th Nov, 2029	(Maximum) 27th Nov, 2029	Not Applicable

Annexure II

List of PTSMI notified laboratories whose MARL accreditation validity has expired and/or are under suspension or under process of de-accreditation. (As on 12.06.2025)

Sl.No	Name and Address of the Laboratory	Registration Number	MARL Certificate Number	MARL-PTSMI Integrated Assessment Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Radiological	Validity Other

The detailed scope may be seen from the MARL website <https://marl-aiiia.org/> and/or Laboratory Search for an Accredited Laboratory using MARL Certificate (TC) Number of the laboratory.

Sl.No	Name and Address of the Laboratory	Registration Number	MARR Certificate Number	MARR-PTSMI Integrated Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
							17th Sep, 2026	17th Sep, 2026	17th Sep, 2026
1	96 Bharat-Tech Hirans, Delhi 46/472, Timber Market Anandpur Commercial Complex, Delhi- 110033. (New Address: Bharat Tech House Pvt.Ltd, 1646 (D/F-10), SECT-14, Post Industrial Estate, Sonapat, Haryana)	21/74/PTSMI/2014	TC-9000	N	Dr. Kumar Tejendra (Director Technical) Tel: +91-11-27672629, 27675696 Fax: 011-43881204, Mob: 99019922061 Email: ktc@bharattechhouse.com, ktcinfo@bharattechhouse.com, director@bharattechhouse.com	-	17th Sep, 2026	Not Applicable	17th Sep, 2026 (Mechanical)
2	Adonday Tech House Private Limited, West Mumbai Unit No. 1, 4th Floor, Building Complex-2, Plot No. 9 MID, Sector - 19A, Vashi, New Mumbai - 400703, Maharashtra	59/74/PTSMI/2018	TC-12838	Y	Mr. K. Sureshchandra Tel: 022-27881-1910/4213-9185 Email: koundraytechhouse@gmail.com Promoted Kumar Manager - Laboratory Services +91 91690 66785	-	06th Nov, 2027	Not Applicable	06th Nov, 2027 (Mechanical)
3	6 BSA Ltd, Arora Seafood Park India Landfill, 200/99A, Kachron Road, Arora, Alleppey District, Kerala - 688504	23/74/PTSMI/2014	TC-6408	N	Mrs. Susmita Subramaniam (Scientific Officer) Tel: 0478-2871825, 2871876, 2871877 Fax: 0478-2871378 Email: susmita@bsa.com, dpsusmita@gmail.com GEO668 VJ Contact No.: 9444477447 Email ID: dpsusmita@gmail.com	-	23rd Feb, 2026	Not Applicable	Not Applicable
4	6 Agnes Testing and Research Laboratory, New Delhi B-90, Shardaapuri, Hansah Estate, Near Mother Dairy, New Delhi- 110015 (P/50,KIRTI NAGAR INDIANSTEEL AREA, DELHI, INDIA)	46/74/PTSMI/2017	TC-8468	N	Dr. Adish Kant Jais Mob: 99876945026, 9950949116, Tel: 911-473916111 Email: info.agnes2015@gmail.com, AgnesTestingresearchlab015@gmail.com	-	28th Apr, 2026	Not Applicable	28th Apr, 2026 (Mechanical)
5	6 Rajyog Laboratories Private Limited, Bhubaneswar Plot No-78/944, Bafukata, Pichai, Near Nissam Showrooms, Bhubaneswar - 752101, Odisha.	6/74/PTSMI/2016	TC-12063	N	Dr. Debasis Birewal (Managing Director) Tel: 0674-6081992, Mob: 99437306091 Email: rajyoglab@yahoo.co.in	Dr. Rabindra Nayak, Dr. Arup Datta Gupta	04th Aug, 2026	04th Aug, 2026	04th Aug, 2026 (Mechanical, Electrical)
6	6 Food Analytic and Research Laboratory (FARR), Anilbhad Centers of Food Technology, Science Faculty Campus, University of Allahabad, Allahabad-211002	37/74/PTSMI/2016	TC-13792	N	Dr. Balraj Agarwal Tel: 0532-2460289, Fax: 0532-2460289 Mob: 991945036942 Email: rajyoglab@gmail.com, qaanilbhad@gmail.com	-	31st May, 2026	Not Applicable	Not Applicable
7	Analytic Centre (Department of Biotechnology and Food Processing IP), Lucknow (Up) Mansarovar Campus, 2-Supra Mary Lecturer - 226 001, Uttar Pradesh.	43/74/PTSMI/2016	TC-6143	N	Dr. S.E. Chandra (Director) Tel: 0522-4003358, Mob: 7052157777 Email: rchandra2015@gmail.com	-	15th July, 2025	Not Applicable	Not Applicable

Sl.No	Name and Address of the Laboratory	Registration Number	MARL Certificate Number	MARL-PTSMI Integrated Accredited Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Radiological	Validity Other
8	SCVA Labs (P) Limited, Chemical Dignity Centre, 2nd Floor, New No. 2/A, Old No. 21, Abhinav Resarch Street, Sisdapet, Chennai - 600 016, Tamil Nadu	45/N/PTSMI/2017	TC-7618	Y	Mr. Rukmanraj Chandran (Managing Director) Tel: 044-24339302 - 85 Mobile: 99509121372 Email: lab@scvalabs.com, info@scvalabs.com, scvalabs_sarathikumar@scvalabs.com, lab@scvalabs.com		22nd Oct, 2025	22nd Oct, 2025	Not Applicable	Mechanical - 22nd Oct, 2025
9	Eden Pro Engineers Private Limited, Chennai 31/41, South side of G.T. Road, UPPEC Industrial Area, Chembur-600109, T.N.	28/N/PTSMI/2014	TC-4201	Y	Mr. Anil Suresh (Quality Manager) Mobile: +91 9810243670 Email: shreeveenginner@gmail.com	Mrs. Manal Elangal	03rd July 2026	03rd July 2026	Not Applicable	Not Applicable
10	Ekarna, Veritas India Testing Services Pvt. Ltd, Central Laboratory, Hyderabad Plot No. 7-2-C/7 & B, Sanath Nagar Industrial Estate, Sanath Nagar, Hyderabad District- 500018, Telangana	16/N/PTSMI/2014	TC-5040	Y	1. Mr. Narasimhan Chari Chivula Head Laboratory- Food Email: narasimha.chari@ecarnatesting.com Mobile: +91- 7726255142 2. Mr.P. Deepika Quality Manager Email: deepika.p@ecarnatesting.com Mobile: +91- 9618032756	Mr. Narasimhan Chari Chivula Mr. Rajasimhan Reddy Chivula	07th Feb, 2026	07th Feb, 2026	Not Applicable	Mechanical - 07th Feb, 2026
11	Eden Laboratories Ltd, Paruthi Gnan Complex, 391, Industrial Area - Phase I, Paruthi Kanyakumari, INDIA - 184 118	44/N/PTSMI/2017	TC-8207	Y	Mr. Anandh Appalaraj (Managing Director) Tel: 0172-5064827, 5064880, Fax: 0172-2503587 Email: anandh@edenlabs.com, raj@edenlabs.com	Mr. Balraj Singh Mrs. Indira Red	20th Feb, 2026	20th Feb, 2026	Not Applicable	Not Applicable
12	Ekarnatech India Private Limited (Food Services), Gurgaon Plot No.66, Jyoti Vihar, Phase-1, Gurgaon, Haryana-122016	13/N/PTSMI/2014	TC-5434	Y	Mr. Ashish Gupta, Director-Road Services ashish.gupta@ekarnatech.com +91-9910170744 Mr. Ramesh Srivastava, Lab Head, Gurgaon Lab ramesh.srivastava@ekarnatech.com +91-97181194795 Mr. Aditi Gaurav, Director-Mumbai, Gurgaon	Mr. Akash Maheshwar Zade; Ms. Kanchan; Ms. Supam Chaud.	18th Aug, 2026	18th Aug, 2026	Not Applicable	Not Applicable
13	Speckin (I) Pvt. Ltd, Goa Road Ramesh Appala Venter Hospital Road, Malibari, Mangalore, Goa - 488 601	34/N/PTSMI/2016	TC-8070	N	Mr. Omer de Souza Rita Vies (Director) Tel: 0832-2789985, 2704883/285, Fax: 0832-2789985 E-mail: malibari@speckin.com, malibari@speckin.in, Siroda Parada malibari@speckin.com. 8132270483	-	04th Apr, 2029	04th Apr, 2029	Not Applicable	Not Applicable
14	FOI Laboratory, Department of Chemical Technology, Kollata University of Cochin, 92, A.P.C Road, Kollata-700009	3/R/PTSMI/2014	TC-8252	N	Dr. Mahesh Chokk (Head of the Laboratory) Tel: 081-2856886/1897, 28520060/51/52 Room 376 Mobile: +91 9453112273 Email: malabug@foilab.com		06th Sep, 2028	Not Applicable	Not Applicable	Not Applicable

Sl.No	Name and Address of the Laboratory	Registration Number	MARI Certificate Number	MARI-PSSAI Integrated Accredited Certification of Accreditation (Y/N)	Contact Person Name and Details	Name of Food Analyst	Validity Chemical	Validity Microbiological	Validity Other
15	Regional Analyte Laboratory, Mumbai 2nd Floor, 6/ North Ward Office Bharadwaj Vihar Marg, Dadar (W), Mumbai, Maharashtra-400028	Reg. No. 55/W/PSSAI/2021	TC-9129	N	Contact Person : SANTOSH NARAYAN JATELAR No. : 94285805076 Email : manojnarayanjate@gsaill.com, Mr- Santoshnarayan@gsaill.com, Mr- santoshn20@gmail.com, 9879291050	As Modified by State Government	27th March, 2025	Not Applicable	Not Applicable
16	Public Health Laboratory, Churno ANJLT.C. Churno, Churno, Rajasthan	88/W/PSSAI/2023	TC-11851	N	Contact Person : Sh. Indrajit Aravga (Food Analyst) Email: indrajitshahindrajit@gsaill.com Contact No : 9929637286	As Modified by State Government	13th Apr, 2025	Not Applicable	Not Applicable
17	Food safety & standards Lab, Atmco, Rajeev Gandhi Hospital Campus, Atmco- 301001, Rajasthan	78/W/PSSAI/2021	TC-9526	N	Contact Person : Smt. Renu Sharma (Food Analyst) Email: rshah@gsaill.com Email: rshah@gsaill.com Contact No : 9413783383	Smt. Renu Sharma	09th May, 2025	Not Applicable	Not Applicable
18	6 Institute for Analysis of Pharma, Dairy, Food and Cosmetics (AIID/AC), Bangalore 6, Siddharajwala Complex, Higginbotham 2nd Stage, 2nd Block, Higer JDAC Complex, 80 Feet Ring Road, Bangalore	19/W/PSSAI/2014	TC-12554	Y	Mr. Abhyr Bhar President Mobile: 8152881222 (South-CA), Tel: 080-23186906/87 Email: qa@iainfo.com, iainfo@iainfo.com	-	08th Nov, 2025	Not Applicable	Not Applicable
19	National Commodities Management Services Limited- FCML Labs, Hyderabad Plot No.-4-1/A/A, 2nd - 6th Floor, Team Towers, 1st Uppal, Uppal, Medchal Mehdipatla, Hyderabad-500089, Telangana	24/W/PSSAI/2014	TC-5192	N	Karla Vijayalakshmi Contact No: 9966219968 E-mail ID: vijayalakshmi@nscml.com; quality@nscml.com	Mr. Nareesh Meebarki; Mr. Nimal Manikrishna Shenoi	25th Aug, 2025	Not Applicable	Not Applicable
20	4d Ozone Pharmaceuticals (Limited, Bahadurgarh 639 - 640, 1st Road, NIE, Bahadurgarh-124307, Eriyasa (1 First Floor, Ozone Aayurvedic Building, Village Eriyasa (Near CR.P.F. Camp Malappur), Distt- Durgam Cheruvu)	4/W/PSSAI/2014	TC-11808	N	Mr. Som Singh (General Manager Technical) Ph: 81276-267137, 267792 Fax: 01276-268037 Mobile: 99999704004, 9991704004 Email: somsinh@ozonegg.com, somsingh@ozonegg.com, cs@ozonegg.com	-	28th May, 2025	Not Applicable	Not Applicable

3- Laboratory suspended by MARI.
4- The Laboratory is under the process of amendment as the laboratory had shifted their operation and MARI-PSSAI Integrated Accredited Certification of Accreditation pending.
5- Laboratory suspended by PSSAI vide order dated 22.12.2023, 25.03.2025 and 07.11.2025
6- MARI accreditation validity has expired as on 12.02.2026.