

Ph: General: 0471- 2312910, 2318153, 2318154. 2318155 Chairman:  
2318150 Member Secretary: 2318151  
e-mail: [chn.kspcb@gov.in](mailto:chn.kspcb@gov.in); [ms.kspcb@gov.in](mailto:ms.kspcb@gov.in) FAX: 2318152 web:  
[kspcb.kerala.gov.in](http://kspcb.kerala.gov.in)



**KERALA STATE POLLUTION CONTROL BOARD**

കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

Pattom P.O., Thiruvananthapuram – 695 004

പട്ടം പി.ഒ. തിരുവനന്തപുരം 695 004



**KSPCB/926/2026-SEE-1**

**Date: 24-06-2026**

**CIRCULAR**

Sub:- Distance criteria applicable for furniture and carpentry units with machinery similar to that in plywood manufacturing units

It has been noticed by Board that some units applying for consent under the sectors 'Modular wooden furniture' and 'Carpentry & wooden furniture' are establishing machinery required for plywood manufacturing also in the unit.

While processing consent applications pertaining to such units, the distance criteria and control measures applicable to plywood manufacturing units shall be complied.

  
**CHAIRPERSON**

To

1. The Chief Environmental Engineer,  
Regional Office, Thiruvananthapuram/Ernakulam/Kozhikode.
2. The Senior Environmental Engineer,  
District Office. Kottayam, Kannur
3. The Environmental Engineer, District Office,  
Thiruvananthapuram, Kollam, Pathanamthitta, Alapuzha, Idukki,  
Ernakulam-1, Ernakulam-2, Environmental Surveillance Centre, Eloor, Thrissur,  
Palakkad, Malappuram, Kozhikode, Wayanad, Kasargod.

Copy to:-

1. All Technical Staff in HO
2. IT Cell (for uploading in the website)
3. C.A. to CHN/MS/CEE HO