

Website : <http://peso.gov.in>
Email: explosives@explosives.gov.in

दूरभाष/ Telephone : 0712-2510248

फैक्स/ FAX : 2510577

कार्यालयीन उद्देश्य के सभी पत्रादि
"मुख्य विस्फोटक नियंत्रक" के पदनाम से
भेजे जाए उनके व्यक्तिगत नाम से नहीं।

All communications intended for
this Office should be addressed to the
'Chief Controller of Explosives' and
NOT to him by name.



भारत सरकार

GOVERNMENT OF INDIA

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन

Petroleum and Explosives Safety Organisation

(पूर्व नाम - विस्फोटक विभाग)

(Formerly- Department of Explosives)

"ए-ब्लॉक", पाँचवा तल, केन्द्रीय कार्यालय परिसर,

"A" Block, 5th Floor, CGO Complex,

सेमिनरी हिल्स, नागपुर - 440 006 (महा)

Seminary Hills, Nagpur- 440006

संख्या /No. PV(T) General/2022

दिनांक /Nagpur, dated 11/09/2026

CIRCULAR

Sub: Inspection of Internal Excess Flow Check Valve (IEFCV), IEFCV coupling inspection during annual inspection for Rule 18 certification and periodic inspection for Rule 19 certification of Non-Cryogenic mobile pressure vessels licensed in form LS-2 of Static and Mobile Pressure Vessels (Unfired) Rules 2016-regarding.

In the recent road accidents the Internal Excess Flow Check Valve (IEFCV) dislodged from the coupling of mobile pressure vessel resulting into leakage of product and subsequent fire/explosion. These IEFCV's & IEFCV's coupling functionality are checked by the competent persons/TPIA during annual inspection of non-cryogenic mobile pressure vessels under Rule 18 certification and periodic inspection for Rule 19 certification of flammable and toxic mobile pressure vessels licensed in form LS-2 of SMPV(U) Rules, 2016.

While issuing Rule 18 and Rule 19 certificates, it is advised that the IEFCV and IEFCV coupling welded to the shell of mobile tanker shall be checked for proper fitting by use of calibrated ring gauge and plug gauge. If the threads of IEFCV/Coupling are found not fit for use, then such IEFCV/Coupling shall be rejected and replaced with new IEFCV/Coupling in the interest of safety at a pressure vessels fabrication shop approved by PESO and same shall be included in certificate under Rule 18 & Rule 19 of SMPV(U) Rules, 2016.

The Oil marketing companies are advised that the IEFCV's shall be visually checked before filling of compressed gas in the mobile pressure vessels and filling shall be stopped as per the provisions of condition 7 of licence issued in form LS-2 of SMPV(U) Rules, 2016.

(Dr. Anuj Kumar)

Jt. Chief Controller of Explosives
For Chief Controller of Explosives

To,

1. All competent persons/TPIA's/Degassing Stations under SMPV Rules.
2. All Oil marketing companies.
3. All stakeholders. {Through PESO website www.peso.gov.in only}.

Copy forwarded to:

1. All Circle/Sub-Circle offices of PESO (through support site)
2. All fabricators of mobile pressure vessel (Through PESO website www.peso.gov.in only).
3. Shri Bipin Kumar, Under Secretary (Explosives) DPIIT-For information.